

JOURNAL PUBLICATIONS:

- [1] V.A. Kovtunenکو, Convergence of solutions of variational inequalities in a contact problem for a plate with point constraints, in: *Dinamika Sploshnoi Sredy* 103, 55-64, Novosibirsk, 1991 (in Russian) [\[pdf\]](#)
- [2] V.A. Kovtunenکو, An iterative method for solving variational inequalities in a contact elastoplastic problem using the penalty method, *Comput. Math. Math. Phys.* 33 (1993), 9, 1245-1249 (in Russian) [\[pdf\]](#)
- [3] V.A. Kovtunenکو, Numerical solution of a contact problem for an elastoplastic beam by the penalty method, in: *Dinamika Sploshnoi Sredy* 109, 27-33, Novosibirsk, 1994 (in Russian) [\[pdf\]](#)
- [4] V.A. Kovtunenکو, Convergence of solutions of variational inequalities in the problem of the contact of a plate with a nonsmooth stamp, *Differential Equations* 30 (1994), 3, 452-456 (in Russian) [\[pdf\]](#)
- [5] V.A. Kovtunenکو, An iterative penalty method for variational inequalities with strongly monotone operators, *Siberian Math. J.* 35 (1994), 4, 735-738 [\[pdf\]](#)
- [6] V.A. Kovtunenکو, Numerical method of solving the problem of the contact of an elastic plate with an obstacle, *J. Appl. Mech. Tech. Phys.* 35 (1994), 5, 776--780 [\[pdf\]](#)
- [7] V.A. Kovtunenکو, Iteration penalty method for the contact elastoplastic problem, *Control Cybernet.* 23 (1994), 4, 803-808 [\[pdf\]](#)
- [8] V.A. Kovtunenکو, Numerical solution of a contact problem for the Timoshenko bar model, *Izvestiya RAN. Mekhanika Tverdogo Tela* (1996), 5, 79-84 (in Russian) [\[pdf\]](#)
- [9] V.A. Kovtunenکو, An iterative penalty method for a problem with constraints on the interior boundary, *Siberian Math. J.* 37 (1996), 3, 508-512 [\[pdf\]](#)
- [10] V.A. Kovtunenکو, Solution of the problem for a beam with a cut, *J. Appl. Mech. Tech. Phys.* 37 (1996), 4, 595-600 [\[pdf\]](#)
- [11] V. Kovtunenکو, Analytical solution of a variational inequality for a cutted bar, *Control Cybernet.* 25 (1996), 4, 801-808 [\[pdf\]](#)
- [12] V. Kovtunenکو, Iterative approximations of penalty operators, *Numer. Funct. Anal. Optim.* 18 (1997), 3-4, 383-387 [\[pdf\]](#)
- [13] V. Kovtunenکو, Iterative penalty method for plate with a crack, *Adv. Math. Sci. Appl.* 7 (1997), 2, 667-674 [\[pdf\]](#)
- [14] V.A. Kovtunenکو, A variational and a boundary value problems with friction on the interior boundary, *Siberian Math. J.* 39 (1998), 5, 1060-1073 [\[pdf\]](#)
- [15] V.A. Kovtunenکو, A.N. Leont'ev and A.M. Khludnev, Equilibrium problem of a plate with an oblique cut, *J. Appl. Mech. Tech. Phys.* 39 (1998), 2, 302-311 [\[pdf\]](#)
- [16] V.A. Kovtunenکو, Solution of the problem of the optimal cut in an elastic beam, *J. Appl. Mech. Tech. Phys.* 40 (1999), 5, 908-916 [\[pdf\]](#)
- [17] V.A. Kovtunenکو, Crack in a solid under Coulomb friction law, *Appl. Math.* 45 (2000), 4, 265-290 [\[pdf\]](#)
- [18] M. Bach, A.M. Khludnev and V.A. Kovtunenکو, Derivatives of the energy functional for 2D-problems with a crack under Signorini and friction conditions, *Math. Meth. Appl. Sci.* 23 (2000), 6, 515-534 [\[pdf\]](#)
- [19] V.A. Kovtunenکو, Sensitivity of cracks in 2D-Lame problem via material derivatives, *Z. angew. Math. Phys.* 52 (2001), 6, 1071-1087 [\[pdf\]](#)
- [20] V.A. Kovtunenکو, Sensitivity of interfacial cracks to non-linear crack front perturbations, *Z. angew. Math. Mech.* 82 (2002), 6, 387-398 [\[pdf\]](#)

- [21] V.A. Kovtunenکو, Regular perturbation methods for a region with a crack, J. Appl. Mech. Tech. Phys. 43 (2002), 5, 748-762 [\[pdf\]](#)
- [22] V.A. Kovtunenکو, Shape sensitivity of a plane crack front, Math. Meth. Appl. Sci. 26 (2003), 5, 359-374 [\[pdf\]](#)
- [23] V.A. Kovtunenکو, Shape sensitivity of curvilinear cracks on interface to non-linear perturbations, Z. angew. Math. Phys. 54 (2003), 3, 410-423 [\[pdf\]](#)
- [24] V.A. Kovtunenکو, Invariant energy integrals for the non-linear crack problem with possible contact of the crack surfaces, J. Appl. Maths. Mechs. 67 (2003), 1, 99-110 [\[pdf\]](#)
- [25] I.I. Argatov, M. Bach and V.A. Kovtunenکو, Propagation of a mode-1 crack under the Irwin and Khristianovich-Barenblatt criteria, Materials Science 39 (2003), 3, 365-370 [\[pdf\]](#)
- [26] V.A. Kovtunenکو, Quasistatic propagation of cracks, in: Analysis and Simulation of Multifield Problems, W.L. Wendland and M. Efendiev (Eds.), Lecture Notes Appl. Comp. Mech. 12, 227-232, Springer, 2003 [\[pdf\]](#)
- [27] V.A. Kovtunenکو, Numerical simulation of the non-linear crack problem with non-penetration, Math. Meth. Appl. Sci. 27 (2004), 2, 163-179 [\[pdf\]](#)
- [28] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, The primal-dual active set method for a crack problem with non-penetration, IMA J. Appl. Math. 69 (2004), 1-26 [\[pdf\]](#)
- [29] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, Semismooth Newton methods for a class of unilaterally constrained variational problems, Adv. Math. Sci. Appl. 14 (2004), 2, 513-535 [\[pdf\]](#)
- [30] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, Generalized Newton methods for crack problems with non-penetration condition, Numer. Methods Partial Differential Equations 21 (2005), 3, 586-610 [\[pdf\]](#)
- [31] V.A. Kovtunenکو, Nonconvex problem for crack with nonpenetration, Z. angew. Math. Mech. 85 (2005), 4, 242-251 [\[pdf\]](#)
- [32] V.A. Kovtunenکو, Interface cracks in composite orthotropic materials and their delamination via global shape optimization, Optim. Eng. 7 (2006), 173-199 [\[pdf\]](#)
- [33] V.A. Kovtunenکو, Primal-dual sensitivity analysis of active sets for mixed boundary-value contact problems, J. Engineering Math. 55 (2006), 151-166 [\[pdf\]](#)
- [34] V.A. Kovtunenکو and I.V. Sukhorukov, Optimization formulation of the evolutionary problem of crack propagation under quasibrittle fracture, J. Appl. Mech. Tech. Phys. 47 (2006), 5, 704-713 [\[pdf\]](#)
- [35] V.A. Kovtunenکو, Primal-dual methods of shape sensitivity analysis for curvilinear cracks with non-penetration, IMA J. Appl. Math. 71 (2006), 635-657 [\[pdf\]](#)
- [36] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, Constrained optimization for interface cracks in composite materials subject to non-penetration conditions, J. Engineering Math. 59 (2007), 3, 301-321 [\[pdf\]](#)
- [37] V.A. Kovtunenکو and K. Kunisch, Problem of crack perturbation based on level sets and velocities, Z. angew. Math. Mech. 87 (2007), 11-12, 809-830 [\[pdf\]](#)
- [38] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, An optimization approach for the delamination of a composite material with non-penetration, in: Free and Moving Boundaries: Analysis, Simulation and Control, R. Glowinski and J.-P. Zolesio (Eds.), Lecture Notes Pure Appl. Math. 252, 331-348, Chapman and Hall/CRC, Boca Raton, FL, 2007 [\[pdf\]](#)
- [39] V.A. Kovtunenکو and A.M. Khudnev, Optimization in constrained crack problems, Proc. Appl. Math. Mech. 7 (2007), 1090807-1090808 [\[pdf\]](#)

- [40] V.A. Kovtunenکو, Problem of crack under quasi-brittle fracture, in: Workshop on Tsunami 2007, 329-340, Keio University COE: Integrative Math. Sci., 2007 [\[pdf\]](#)
- [41] V.A. Kovtunenکو, A nonlinear evolutionary problem on the crack propagation, in: Differential Equations, Theory of Functions, and Applications (dedicated to the Centennial of I.N. Vekua), 515-516, Novosibirsk State University, 2007 (in Russian) [\[pdf\]](#)
- [42] A.M. Khludnev, V.A. Kovtunenکو and A. Tani, Evolution of a crack with kink and non-penetration, [J. Math. Soc. Japan 60 \(2008\), 4, 1219-1253](#) [\[pdf\]](#)
- [43] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, A Papkovitch-Neuber-based numerical approach to cracks with contact in 3D, *IMA J. Appl. Math.* 74 (2009), 3, 325-343 [\[pdf\]](#)
- [44] V.A. Kovtunenکو, K. Kunisch and W. Ring, Propagation and bifurcation of cracks based on implicit surfaces and discontinuous velocities, *Comput. Visual Sci.* 12 (2009), 8, 397-408 [\[pdf\]](#)
- [45] I.I. Argatov and V.A. Kovtunenکو, Generalization of the concept of the topological derivative for a kinking crack, in: Proc. 2009 ICCMME, Melbourne, Australia, 228-233, Australian Inst. High Energetic Materials, 2010 [\[pdf\]](#)
- [46] A.M. Khludnev, V.A. Kovtunenکو and A. Tani, On the topological derivative due to kink of a crack with non-penetration. Anti-plane model, [J. Math. Pures Appl. 94 \(2010\), 6, 571-596](#) [\[PubMed 22163369\]](#) [\[pdf\]](#)
- [47] I.I. Argatov and V.A. Kovtunenکو, A kinking crack: generalization of the concept of the topological derivative, 2009 Ann. Bull. Australian Inst. High Energetic Materials 1 (2010), 124-130 [\[pdf\]](#)
- [48] V.A. Kovtunenکو, A hemivariational inequality in crack problems, *Optimization* 60 (2011), 8-9, 1071-1089 [\[pdf\]](#)
- [49] H. Itou, V.A. Kovtunenکو and A. Tani, The interface crack with Coulomb friction between two bonded dissimilar elastic media, *Appl. Math.* 56 (2011), 1, 69-97 [\[pdf\]](#)
- [50] M. Hintermueller, V.A. Kovtunenکو and K. Kunisch, Obstacle problems with cohesion: A hemivariational inequality approach and its efficient numerical solution, *SIAM J. Optim.* 21 (2011), 2, 491-516 [\[pdf\]](#)
- [51] M. Hintermueller and V.A. Kovtunenکو, From shape variation to topology changes in constrained minimization: a velocity method based concept, *Optim. Methods Softw.* 26 (2011), 4-5, 513-532 [\[pdf\]](#)
- [52] V.A. Kovtunenکو, State-constrained optimization for identification of small inclusions, *Proc. Appl. Math. Mech.* 11 (2011), 1, 721-722 [\[pdf\]](#)
- [53] V.A. Kovtunenکو and K. Kunisch, High precision identification of an object: optimality conditions based concept of imaging, *SIAM J. Control Optim.* 52 (2014), 1, 773-796 [\[pdf\]](#)
- [54] B.D. Annin, V.A. Kovtunenکو and V.M. Sadovskii, Variational and hemivariational inequalities in mechanics of elastoplastic, granular media, and quasibrittle cracks, in: Analysis, Modelling, Optimization, and Numerical Techniques, G.O. Tost, O. Vasilieva (Eds.), [Springer Proc. Math. Stat. 121 \(2015\), 49-56](#) [\[pdf\]](#)
- [55] V.A. Kovtunenکو, Electro-kinetic structure model with interfacial reactions, Proc. 7th ECCOMAS Thematic Conference on Smart Structures and Materials SMART 2015, A.L. Araujo, C.A. Mota Soares, F.M. Duarte, C.M. Mota Soares, A. Suleman (Eds.), IDMEC, Lissabon, 2015 [\[pdf\]](#)
- [56] K. Fellner and V.A. Kovtunenکو, A singularly perturbed nonlinear Poisson-Boltzmann equation: uniform and super-asymptotic expansions, *Math. Meth. Appl. Sci.* 38 (2015), 16, 3575-3586 [\[pdf\]](#)
- [57] V.A. Kovtunenکو and G. Leugering, A shape-topological control problem for nonlinear crack - defect interaction: the anti-plane variational model, *SIAM J. Control Optim.* 54 (2016), 3, 1329-1351 [\[pdf\]](#)

- [58] V.A. Kovtunenکو and G. Leugering, A shape-topological control of variational inequalities, [Eurasian Math. J. 7 \(2016\), 3, 41-52 \[pdf\]](#)
- [59] K. Fellner and V.A. Kovtunenکو, A discontinuous Poisson-Boltzmann equation with interfacial transfer: homogenisation and residual error estimate, [Appl. Anal. 95 \(2016\), 12, 2661-2682 \[pdf\]](#)
- [60] V.A. Kovtunenکو, Two-parameter topological expansion of Helmholtz problems with inhomogeneity, in: Mathematical Analysis of Continuum Mechanics and Industrial Applications (CoMFoS15), H. Itou, M. Kimura, V. Chalupecky, K. Ohtsuka, D. Tagami, A. Takada (Eds.), [Mathematics for Industry 26](#), 51-81, Springer, Singapore, 2017 [\[pdf\]](#)
- [61] V.A. Kovtunenکو and A.V. Zubkova, On generalized Poisson-Nernst-Planck equations with inhomogeneous boundary conditions: a-priori estimates and stability, [Math. Meth. Appl. Sci. 40 \(2017\), 6, 2284-2299 \[pdf\]](#)
- [62] V.A. Kovtunenکو and A.V. Zubkova, Solvability and Lyapunov stability of a two-component system of generalized Poisson-Nernst-Planck equations, in: Recent Trends in Operator Theory and Partial Differential Equations (The Roland Duduchava Anniversary Volume), V. Maz'ya, D. Natroshvili, E. Shargorodsky, W.L. Wendland (Eds.), [Operator Theory: Advances and Applications 258](#), 173-191, Birkhaeuser, Basel, 2017 [\[pdf\]](#)
- [63] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Nonlinear elasticity with limiting small strain for cracks subject to non-penetration, [Math. Mech. Solids 22 \(2017\), 6, 1334-1346 \[pdf\]](#)
- [64] V.A. Kovtunenکو, High-order topological expansions for Helmholtz problems in 2d, in: Topological Optimization and Optimal Transport, M. Bergounioux, E. Oudet, M. Rumpf, G. Carlier, T. Champion, F. Santambrogio (Eds.), [Radon Ser. Comput. Appl. Math. 17](#), 64-122, De Gruyter, Berlin, 2017 [\[pdf\]](#)
- [65] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Contacting crack faces within the context of bodies exhibiting limiting strains, [JSIAM Letters 9 \(2017\), 61-64 \[pdf\]](#)
- [66] V.A. Kovtunenکو, P. Krejci, E. Bauer, L. Sivakova and A.V. Zubkova, On Lyapunov stability in hypoplasticity, [Proc. Equadiff 2017 Conference](#), K. Mikula, D. Sevcovic, J. Urban (Eds.), 107-116, Slovak University of Technology, Bratislava, 2017 [\[pdf\]](#)
- [67] V.A. Kovtunenکو and A.V. Zubkova, Mathematical modeling of a discontinuous solution of the generalized Poisson-Nernst-Planck problem in a two-phase medium, [Kinet. Relat. Mod. 11 \(2018\), 1, 119-135 \[pdf\]](#)
- [68] F. Cakoni and V.A. Kovtunenکو, Topological optimality condition for the identification of the center of an inhomogeneity, [Inverse Probl. 34 \(2018\), 3, 035009 \[pdf\]](#)
- [69] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, On the states of stress and strain adjacent to a crack in a strain-limiting viscoelastic body, [Math. Mech. Solids 23 \(2018\), 3, 433-444 \[pdf\]](#)
- [70] V.A. Kovtunenکو and K. Kunisch, Revisiting generalized FEM: a Petrov-Galerkin enrichment based FEM interpolation for Helmholtz problem, [Calcolo 55 \(2018\), 38 \[pdf\]](#)
- [71] V.A. Kovtunenکو and K. Ohtsuka, Shape differentiability of Lagrangians and application to Stokes problem, [SIAM J. Control Optim. 56 \(2018\), 5, 3668-3684 \[pdf\]](#)
- [72] J.R. Gonzalez Granada, J. Gwinner and V.A. Kovtunenکو, On the shape differentiability of objectives: a Lagrangian approach and the Brinkman problem, [Axioms 7 \(2018\), 4, 76 \[pdf\]](#)
- [73] J.R. Gonzalez Granada and V.A. Kovtunenکو, Entropy method for generalized Poisson-Nernst-Planck equations, [Anal. Math. Phys. 8 \(2018\), 4, 603-619 \[pdf\]](#)
- [74] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Well-posedness of the problem of non-penetrating cracks in elastic bodies whose material moduli depend on the mean normal stress, [Int. J. Eng. Sci. 136 \(2019\), 17-25 \[pdf\]](#)

- [75] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Crack problem within the context of implicitly constituted quasi-linear viscoelasticity, [Math. Mod. Meth. Appl. Sci. 29 \(2019\), 2, 355-372 \[pdf\]](#)
- [76] V.A. Kovtunenکو, Mathematical model of crack diagnosis: inverse acoustic scattering problem and its high-precision numerical solution, [Vibroengineering PROCEDIA 22 \(2019\), 31-35 \[pdf\]](#)
- [77] E. Bauer, V.A. Kovtunenکو, P. Krejci, N. Krenn, L. Sivakova and A.V. Zubkova, Modified model for proportional loading and unloading of hypoplastic materials, in: Extended Abstracts Spring 2018. Singularly Perturbed Systems, Multiscale Phenomena and Hysteresis: Theory and Applications, A. Korobeinikov, M. Caubergh, T. Lazaro, J. Sardanyes (Eds.), [Trends in Mathematics 11, 201-210](#), Birkhaeuser, Ham, 2019 [\[pdf\]](#)
- [78] V.A. Kovtunenکو and A.V. Zubkova, Homogenization of the generalized Poisson-Nernst-Planck problem in two-phase medium: The corrector due to nonlinear interface condition, in: Modern Treatment of Symmetries, Differential Equations and Applications (Symmetry 2019), S. Moyo, S.V. Meleshko and E. Schulz (Eds.), [AIP Conf. Proc. 2153, 020010](#), AIP Publishing, College Park, MD, 2019 [\[pdf\]](#)
- [79] V.A. Kovtunenکو, P. Krejci, N. Krenn, E. Bauer, L. Sivkova and A.V. Zubkova, On feasibility of rate-independent stress paths under proportional deformations within hypoplastic constitutive model for granular materials, [Mathematical Models in Engineering 5 \(2019\), 4, 119-126 \[pdf\]](#)
- [80] V.A. Kovtunenکو, S. Reichelt and A.V. Zubkova, Corrector estimates in homogenization of a nonlinear transmission problem for diffusion equations in connected domains, [Math. Meth. Appl. Sci. 43 \(2020\), 4, 1838-1856 \[pdf\]](#)
- [81] D. Ghilli, K. Kunisch and V.A. Kovtunenکو, Inverse problem of breaking line identification by shape optimization, [J. Inv. Ill-Posed Problems 28 \(2020\), 1, 119-135 \[pdf\]](#)
- [82] E. Bauer, V.A. Kovtunenکو, P. Krejci, N. Krenn, L. Sivakova and A.V. Zubkova, On proportional deformation paths in hypoplasticity, [Acta Mechanica 231 \(2020\), 4, 1603-1619 \[pdf\]](#)
- [83] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, The Boussinesq flat-punch indentation problem within the context of linearized viscoelasticity, [Int. J. Eng. Sci. 151 \(2020\), 103272 \[pdf\]](#)
- [84] V.A. Kovtunenکو and A.V. Zubkova, Homogenization of the generalized Poisson-Nernst-Planck problem in a two-phase medium: correctors and estimates, [Appl. Anal. 100 \(2021\), 2, 253-274 \[pdf\]](#)
- [85] V.A. Kovtunenکو and K. Ohtsuka, Shape differentiability of Lagrangians and application to overdetermined problems, in: Mathematical Analysis of Continuum Mechanics and Industrial Applications III: Proceedings of the International Conference CoMFoS18, H. Itou, S. Hirano, M. Kimura, V.A. Kovtunenکو, A.M. Khludnev (Eds.), [Mathematics for Industry 34, 97-110](#), Springer, Singapore, 2020 [\[pdf\]](#)
- [86] A.I. Furtsev, H. Itou, V.A. Kovtunenکو, E.M. Rudoy and A. Tani, On unilateral contact problems with friction for an elastic body with cracks, in: [Analysis of Inverse Problems Through Partial Differential Equations, K. Tanuma \(Ed.\), RIMS Kokyuroku 2174, Kyoto University, 2021 \[pdf\]](#)
- [87] V.A. Kovtunenکو and L. Karpenko-Jereb, Study of voltage cycling conditions on Pt oxidation and dissolution in polymer electrolyte fuel cells, [J. Power Sources 493 \(2021\), 229693 \[pdf\]](#)
- [88] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, On an implicit model linear in both stress and strain to describe the response of porous solids, [J. Elasticity 144 \(2021\), 1, 107-118 \[pdf\]](#)
- [89] J.R. Gonzalez Granada and V.A. Kovtunenکو, A shape derivative for optimal control of the nonlinear Brinkman-Forchheimer equation, [J. Appl. Numer. Optim. 3 \(2021\), 2, 243-261 \[pdf\]](#)
- [90] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Lagrange multiplier approach to unilateral indentation problems: Well-posedness and application to linearized viscoelasticity with non-invertible constitutive response, [Math. Mod. Meth. Appl. Sci. 31 \(2021\), 3, 649-674 \[pdf\]](#)
- [91] V.A. Kovtunenکو and A.V. Zubkova, Existence and two-scale convergence of the generalised Poisson-Nernst-Planck problem with non-linear interface conditions, [Eur. J. Appl. Math. 32 \(2021\), 4, 683-710 \[pdf\]](#)

- [92] H. Itou, V.A. Kovtunenکو and E.M. Rudoy, Three-field mixed formulation of elasticity model nonlinear in the mean normal stress for the problem of non-penetrating cracks in bodies, [Appl. Eng. Sci. 7 \(2021\), 100060 \[pdf\]](#)
- [93] V.A. Kovtunenکو and L. Karpenko-Jereb, Lifetime of catalyst under voltage cycling in polymer electrolyte fuel cell due to platinum oxidation and dissolution, [Technologies 9 \(2021\), 4, 80 \[pdf\]](#)
- [94] V.A. Kovtunenکو, E. Bauer, J. Elias, P. Krejci, G.A. Monteiro and L. Strakova (Sivakova), Cyclic behavior of simple models in hypoplasticity and plasticity with nonlinear kinematic hardening, [J. Sib. Fed. Univ. - Math. Phys. 14 \(2021\), 6, 756-767 \[pdf\]](#)
- [95] V.A. Kovtunenکو, Poroelastic medium with non-penetrating crack driven by hydraulic fracture: Variational inequality and its semidiscretization, [J. Comput. Appl. Math. 405 \(2022\), 113953 \[pdf\]](#)
- [96] N.P. Lazarev and V.A. Kovtunenکو, Signorini-type problems over non-convex sets for composite bodies contacting by sharp edges of rigid inclusions, [Mathematics 10 \(2022\), 2, 250 \[pdf\]](#)
- [97] H. Itou, V.A. Kovtunenکو and N.P. Lazarev, Asymptotic series solution for plane poroelastic model with non-penetrating crack driven by hydraulic fracture, [Appl. Eng. Sci. 10 \(2022\), 100089 \[pdf\]](#)
- [98] V.A. Kovtunenکو and K. Ohtsuka, Asymptotic series solution of variational Stokes problems in planar domain with crack-like singularity, [Appl. Math. Sci. Eng. 30 \(2022\), 1, 448-479 \[pdf\]](#)
- [99] V.A. Kovtunenکو and K. Kunisch, Shape derivative for penalty-constrained nonsmooth-nonconvex optimization: cohesive crack problem, [J. Optim. Theory Appl. 194 \(2022\), 597-635 \[pdf\]](#)
- [100] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Investigation of implicit constitutive relations in which both the stress and strain appear linearly, adjacent to non-penetrating cracks, [Math. Mod. Meth. Appl. Sci. 32 \(2022\), 7, 1475-1492 \[pdf\]](#)
- [101] V.A. Kovtunenکو and K. Ohtsuka, Inverse problem of shape identification from boundary measurement for Stokes equations: Shape differentiability of Lagrangian, [J. Inv. Ill-Posed Problems 30 \(2022\), 4, 461-474 \[pdf\]](#)
- [102] V.A. Kovtunenکو, H. Itou, A.M. Khludnev and E.M. Rudoy, Non-smooth variational problems and applications, [Phil. Trans. R. Soc. A. 380 \(2022\), 2236, 20210364 \[pdf\]](#)
- [103] V.A. Kovtunenکو, Quasi-variational inequality for the nonlinear indentation problem: a power-law hardening model, [Phil. Trans. R. Soc. A. 380 \(2022\), 2236, 20210362 \[pdf\]](#)
- [104] V.A. Kovtunenکو, Variance-based sensitivity analysis of fitting parameters to impact on cycling durability of polymer electrolyte fuel cells, [Technologies 10 \(2022\), 6, 111 \[pdf\]](#)
- [105] V.A. Kovtunenکو, Mixed variational problem for a generalized Darcy-Forchheimer model driven by hydraulic fracture, [J. Vib. Test. Syst. Dyn. 7 \(2023\), 1, 15-21 \[pdf\]](#)
- [106] V.A. Kovtunenکو and N.P. Lazarev, The energy release rate for non-penetrating crack in poroelastic body by fluid-driven fracture, [Math. Mech. Solids 28 \(2023\), 2, 592-610 \[pdf\]](#)
- [107] V.A. Kovtunenکو, J. Elias, P. Krejci, G.A. Monteiro and J. Runczikova, Stress-controlled hysteresis and long-time dynamics of implicit differential equations arising in hypoplasticity, [Arch. Math. \(Brno\) 59 \(2023\), 3, 275-286 \[pdf\]](#)
- [108] L.V. Karpenko-Jereb and V.A. Kovtunenکو, Modeling of the impact of cycling operating conditions on durability of polymer electrolyte fuel cells and its sensitivity analysis, [Int. J. Hydrog. Energy 48 \(2023\), 41, 15646-15656 \[pdf\]](#)
- [109] H. Itou, V.A. Kovtunenکو and N.P. Lazarev, Poroelastic problem of a non-penetrating crack with cohesive contact for fluid-driven fracture, [Appl. Eng. Sci. 15 \(2023\), 100136 \[pdf\]](#)

- [110] V.A. Kovtunenکو, Lagrangian approach and shape gradient for inverse problem of breaking line identification in solid: contact with adhesion, [Inverse Probl. 39 \(2023\), 8, 084004 \[pdf\]](#)
- [111] E. Bauer, V.A. Kovtunenکو, P. Krejci, G.A. Monteiro and J. Runczikova, Stress-controlled ratchetting in hypoplasticity: a study of periodically proportional loading cycles, [Acta Mechanica 234 \(2023\), 9, 4077-4093 \[pdf\]](#)
- [112] V.A. Kovtunenکو and K. Kunisch, Directional differentiability for shape optimization with variational inequalities as constraints, [ESAIM: Control Optim. Calc. Var. 29 \(2023\), 64 \[pdf\]](#)
- [113] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, A generalization of the Kelvin-Voigt model with pressure-dependent moduli in which both stress and strain appear linearly, [Math. Meth. Appl. Sci. 46 \(2023\), 14, 14765-15918 \[pdf\]](#)
- [114] E. Bauer, V.A. Kovtunenکو, P. Krejci and G.A. Monteiro, Rate Type hypoplastic differential equations under mixed stress-strain control in biaxial test, in: Modern Achievements in Symmetries of Differential Equations (Symmetry 2022), E. Schulz, S. Moyo and S.V. Meleshko (Eds.), [Suranaree University of Technology in Nakhon Ratchasima, Thailand \(2023\), 59-68 \[pdf\]](#)
- [115] N.P. Lazarev and V.A. Kovtunenکو, Asymptotic analysis of the problem of equilibrium of an inhomogeneous body with hinged rigid inclusions of various widths, [J. Appl. Mech. Tech. Phys. 64 \(2023\), 5, 911-920 \[pdf\]](#)
- [116] V.A. Kovtunenکو, The Holby-Morgan model of platinum catalyst degradation in PEM fuel cells: range of feasible parameters achieved using voltage cycling, [Technologies 11 \(2023\), 6, 184 \[pdf\]](#)
- [117] V.A. Kovtunenکو, Feasible domain of cycling operating conditions and model parameters for Holby-Morgan model of platinum catalyst degradation in PEMFC, [Int. J. Hydrog. Energy 51C \(2024\), 1518-1526 \[pdf\]](#)
- [118] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Well-posedness of the governing equations for a quasi-linear viscoelastic model with pressure-dependent moduli in which both stress and strain appear linearly, [Z. Angew. Math. Phys. 75 \(2024\), 1, 22 \[pdf\]](#)
- [119] V.A. Kovtunenکو, P. Krejci, G.A. Monteiro and J. Runczikova, Hysteresis of implicit equations in hypoplasticity for soil materials with granular hardness degradation, [J. Math. Sci. 280 \(2024\), 3, 453-467 \[pdf\]](#)
- [120] N.P. Lazarev and V.A. Kovtunenکو, Identification of positions of separated rigid inclusions by boundary measurements for a Signorini problem, [Eurasian J. Math. Comput. Appl. 12 \(2024\), 2, 67-80 \[pdf\]](#)
- [121] V.A. Kovtunenکو, H. Itou, A.M. Khludnev and E.M. Rudoy, Non-smooth variational problems and applications in mechanics, [Phil. Trans. R. Soc. A. 382 \(2024\), 2277, 20230310 \[pdf\]](#)
- [122] H. Itou, V.A. Kovtunenکو and G. Nakamura, Forward and inverse problems for creep models in viscoelasticity, [Phil. Trans. R. Soc. A. 382 \(2024\), 2277, 20230295 \[pdf\]](#)
- [123] V.A. Kovtunenکو and N.P. Lazarev, Variational inequality for a Timoshenko plate contacting at the boundary with an inclined obstacle, [Phil. Trans. R. Soc. A. 382 \(2024\), 2277, 20230298 \[pdf\]](#)
- [124] V.A. Kovtunenکو, Particle size distribution in Holby-Morgan degradation model of platinum on carbon catalyst in fuel cell: normal distribution, [Technologies 12 \(2024\), 10, 202 \[pdf\]](#)
- [125] H. Itou, V.A. Kovtunenکو and G. Nakamura, Solution of viscoelastic creep models for anisotropic materials with linear relation between strain and stress but nonlinear with respect to time, [Appl. Eng. Sci. 22 \(2025\), 100219 \[pdf\]](#)
- [126] V.A. Kovtunenکو, Impact of log-normal particle size distribution in Holby-Morgan degradation model on aging of Pt/C catalyst in PEMFC, [Technologies 13 \(2025\), 7, 262 \[pdf\]](#)

- [127] V.A. Kovtunenکو and Y. Renard, FEM approximation of dynamic contact problem for fracture under fluid volume control using generalized HHT-a and semi-smooth Newton methods, [Appl. Numer. Math. 218 \(2025\), 148-158 \[pdf\]](#)
- [128] H. Itou, V.A. Kovtunenکو and K.R. Rajagopal, Nonlinear model of a porous body with fluid-driven fracture under cohesion contact conditions and fluid volume control, [Math. Mod. Meth. Appl. Sci. 35 \(2025\), 11, 2311-2328 \[pdf\]](#)
- [129] V.A. Kovtunenکو, Space-time primal-dual active set method: benchmark for collision of elastic bar with discontinuous velocity, [Computation 13 \(2025\), 9, 210 \[pdf\]](#)
- [130] V.A. Kovtunenکو and O.M. Atlasiuk, Poroelastic medium with non-penetrating crack driven by hydraulic fracture: FEM approximation using HHT-a and semi-smooth Newton methods, [Algorithms 18 \(2025\), 9, 579 \[pdf\]](#)
- [131] V.A. Kovtunenکو, Space-time finite element based primal-dual active set method for the non-smooth problem of impact of rigid obstacle by elastic bar, [Comput. Math. Model. 36 \(2025\), 1, 151-163 \[pdf\]](#)
- [132] E. Bauer, V.A. Kovtunenکو, P. Krejci, G.A. Monteiro, L. Paoli and A. Petrov, Modeling the railway track ballast behavior with hypoplasticity, [J. Math. Sci. 290 \(2025\), 5, 666-673 \[pdf\]](#)
- [133] V.A. Kovtunenکو and N.P. Lazarev, Weak and strong formulations for a Timoshenko plate with crack indented by wedge and subjected to non-penetration conditions, [Optimization \(2025\), doi:10.1080/02331934.2025.2516457 \[pdf\]](#)
- [134] V.A. Kovtunenکو, A. Petrov and Y. Renard, Space-time FEM solution of dynamic contact problem with discontinuous velocity for multiple impact of deformed bar using PDAS method, [Math. Meth. Appl. Sci. 49 \(2026\), 7, 5897-5912 \[pdf\]](#)
- [135] V.A. Kovtunenکو and N.P. Lazarev, Non-convex Gao model for nonlinear elastic beam with inclined non-penetrating crack, [Math. Mech. Solids 31 \(2026\), 3, 417-425 \[pdf\]](#)
- [136] V.A. Kovtunenکو and Y. Renard, Convergence analysis of semi-smooth Newton method for mixed FEM approximations of dynamic two-body contact and crack problems, [J. Comput. Appl. Math. 471 \(2026\), 116722 \[pdf\]](#)
- [137] N.P. Lazarev and V.A. Kovtunenکو, Contact problem for a cracked Timoshenko plate with a wedge-shaped obstacle, [J. Comput. Appl. Math. 473 \(2026\), 116884 \[pdf\]](#)
- [138] E. Bauer, V.A. Kovtunenکو, P. Krejci, G.A. Monteiro, L. Paoli and A. Petrov, Non-convex sweeping processes in contact mechanics, [Nonlinear Anal. Real World Appl. 87 \(2026\), 104456 \[pdf\]](#)
- [139] V.A. Kovtunenکو, Collision of an obstacle by an elastic bar in a gravity field: solution with discontinuous velocity and space-time primal-dual active set algorithm, [Algorithms 19 \(2026\), 1, 88 \[pdf\]](#)
- [140] H. Itou, V.A. Kovtunenکو and M. Yamamoto, Solution of nonlinear variational problems for generalized fractional viscoelastic models, [Int. J. Eng. Sci. 223 \(2026\), 104513 \[pdf\]](#)
- [141] V.A. Kovtunenکو, Chebyshev-Gauss-Lobatto collocation method for 1D diffusion in Holby-Morgan model of platinum degradation, [Technologies 14 \(2026\), 8, 462 \[pdf\]](#)
- [142] V.A. Kovtunenکو, Non-unique solution with discontinuous velocity for collision of elastic bar with high initial speed by ST-PDAS restoring energy, [J. Math. Sci. \(2026\) \[pdf\]](#)
- [143] V.A. Kovtunenکو, Fourier series and ST-PDAS solutions for non-smooth 1D collision problem with gravity, [Comput. Math. Model. \(2026\) \[pdf\]](#)
- [144] K. Ohtsuka and V.A. Kovtunenکو, Generalized J-integral in saddle point problems, [Comput. Math. Model. \(2026\) \[pdf view\]](#)