Hortus Botanicus Inst. Bot. Universitatis Graecensis

BOTANISCHER GARTEN

DES INSTITUTES FÜR BOTANIK

DER KARL-FRANZENS-UNIVERSITÄT GRAZ

SAMENTAUSCHVERZEICHNIS

2003



Direktor:
ao. Univ.-Prof. Mag. Dr. H. MAYRHOFER

Wissenschaftlicher Leiter:
Univ.-Prof. Dr. H. TEPPNER

Gartenassistent:
Dr. A. DRESCHER

Gartenverwalter:
P. GIGERL

Graz, im Februar 2003

Botanischer Garten
Institut für Botanik
Universität Graz
Holteigasse 6
A - 8010 Graz, Austria

Tel.: ++43-316-380-5651, ++43-316-380-5649
Fax: ++43-316-380-9883
e-mail: peter.gigerl@uni-graz.at
botanik.sekr@uni-graz.at
anton.drescher@uni-graz.at
herwig.teppner@uni-graz.at

Samentauschverzeichnis 2003

Personalstand

Gartendirektor:	ao. Univ.-Prof. Mag. Dr. Helmut MAYRHOFER
Wissenschaftlicher Leiter:	Univ.-Prof. Dr. Herwig TEPPNER
Gartenassistent:	Dr. Anton DRESCHER
Gartenverwalter:	Peter GIGERL
Gärtnermeister:	Friedrich STEFFAN
GärtnerInnen:	Viola BONGERS Margarete HIDEN Nina HÖLLER Franz HÖDL Doris LACKNER Kurt MARQUART Gisela POSCH Franz STIEBER
Gartenarbeiter:	Herbert GRÜBLER René MICHALSKI Alfred PROBST
Gärtnerlehrlinge:	Maria GANGL Claudia TÖGLHOFER

Inhaltsverzeichnis / Contents / Table des matières

Abkürzungen / List of Abbreviations / Abréviations 4

Bestimmungsliteratur und Florenlisten / Keys for determination and checklists of floras / Literature d'identification 4

Agreement on the supply of plant material 5

Hinweise / Instructions / Remarques 5

Geographische Lage; Klimadaten / Geographical situation, climatical data / Situation géographique, données climatologiques 6

Samen von Wildstandorten / Seeds collected in the field / Graines récoltées dans la nature

- Fundortsverzeichnis / Field collection data / Localitées de collection 7
- Sammler / Collectors / Collecteurs 11
- Artenliste / List of species / Catalogue des espèces 12

Samen von kultivierten Arten aus dem Botanischen Garten der Universität Graz / Seeds collected in the Botanical Garden of the University of Graz / Graines récoltées dans le Jardin Botanique de l'Université de Graz 21

Order Form 43

WARNUNG:
Es kann nicht ausgeschlossen werden, daß einzelne der angebotenen Arten zur Ausbreitung als Unkräuter neigen. Entsprechende Vorkehrungen liegen allein in der Verantwortung der Besteller.

WARNING:
The tendency of some of the offered species to spread as weeds cannot be ruled out. The application of appropriate precautionary measures is the responsibility of the client alone.

Abkürzungen:

G Gewächshauspflanzen / Greenhouse plants / Plantes cultivées en serre

§ Samen stratifiziert / Seed stratified / Graines stratifiées

pl.v. Stecklinge, Zwiebeln oder Knollen / Cuttings, bulbs or tubers / Boutures, bulbes ou tubercules

Bestimmungsliteratur und Florenlisten:

ADLER W., OSWALD K. & FISCHER R. 1994: Exkursionsflora von Österreich. Red. und hrsg. von Manfred A. FISCHER. – E. Ulmer, Stuttgart.

BACKEBERG C. 1958–62: Die Cactaceae. Handbuch der Kakteen, vols. 1–6. – G. Fischer, Jena.

DAHLGREN R.M.T., CLIFFORD H.T. & YEO P.F. 1985: The Families of the Monocotyledons. – Springer, Berlin–Heidelberg–New York–Tokyo.

DAVIS P.H. & al. 1965–88: Flora of Turkey and the East Aegean Islands, vols. 1–10. – Edinburgh Univ. Press.

ERHARDT W., GÖTZ E., BÖDEKER N. & SEYBOLD S. 2002: Zander, Handwörterbuch der Pflanzennamen, 17. Auflage. – E. Ulmer, Stuttgart.

HANELT P. (ed.) 2002: Mansfeld's Encyclopedia of Agricultural and Horticultural Crops. – Spinger Verlag, Berlin, Heidelberg, New York, ..., Tokyo.

JACOBSEN H. 1981: Das Sukkulentenlexikon, 2. Auflage. – G. Fischer, Stuttgart.

JAHN R. & SCHÖNFELDER P. 1995: Exkursionsflora für Kreta. – E. Ulmer, Stuttgart.

KÖHLEIN F. 1980: Die Saxifragen. – E. Ulmer, Stuttgart.

KÖHLEIN F. 1984: Primeln und die verwandten Gattungen Mannsschild, Heilglöckchen, Götterblume, Troddelblume, Goldprimel. – E. Ulmer, Stuttgart.

LAUBER K. & WAGNER G. 1996: Flora Helvetica. – P. Haupt, Bern, Stuttgart, Wien.

OHWI J. 1965: Flora of Japan. – Smithsonian Institution, Washington D.C.

PIGNATTI S. 1982: Flora d'Italia, vols. 1–3. – Edagricole, Bologna.

ROTHMALER W., SCHUBERT R. & VENT W. 1990: Exkursionsflora für die Gebiete der DDR und der BRD, 4. Kritischer Band, 8. Auflage. – Volk und Wissen, Berlin.

THE HERBARIUM ROYAL BOTANIC GARDENS, KEW 1997: Index Kewensis on CD. – Oxford University Press, Oxford.

TUTIN & al. 1964–80, 1993: Flora Europaea, vols. 1–5. – Cambridge Univ. Press

U.S. Dept. of Agriculture, Soil Conservation Service (ed.) 1982: National list of scientific plant names, 2 Vols. – Washington D.C.

Agreement on the supply of plant material

In response to the **C**onvention on **B**iological **D**iversity (Rio de Janeiro, June 5, 1992), the Botanic Garden Graz supplies the seed collections requested below on the following conditions:

1) On the basis of this agreement, the material is intended to serve the common good, particularly scientific study, education and the interests of environmental protection.

2) Upon accepting plant material from our garden, the recipient is obliged to document and preserve information relating to the material appropiately.

3) In the event that scientific publications on the plant material provided are produced, the origin of the material is to be cited. In addition these publications are supposed to be sent to the library of the Institute of Botany in Graz automatically, without request.

4) Intended commercial use by the recipient is not covered by this agreement. The commercialisation is the object of a separate agreement with the country of origin. This agreement underlies the provisions of the CBD, i.e. the user is obliged to share the benefits with the country of origin and to forward relevant information to the authority instructed with the implementation of the CBD.

5) The recipient garden will forward information on the material supply on request to the authority instructed with the implementation of the CBD.

6) By ordering seeds or other plant material from the Botanic Garden Graz these conditions and the other articles of the convention are accepted.

Hinweise:

DESIDERATA erbeten bis **30. April 2003**

ORDERS are requested before **April 30th 2003**

DEMANDES sont priées avant le **30 April 2003**

Für Bestellungen verwenden Sie bitte beiliegende Nummernliste.
Please indicate your request on the enclosed order form.
Employez, s'il vous plaît, pour votre commande la liste des numéros ci-jointe.

Hinweise auf Fehlbestimmungen werden dankbar entgegengenommen.
Please inform us about any errors in determination of offered species.
Vous nous feriez le plus grand plaisir en nous signalant toute erreur que vous pourriez constater dans ce catalogue.

e-mail: peter.gigerl@uni-graz.at

e-mail orders must contain a declaration, that the conditions (1) to (6) printed above and on the order form are accepted

Botanischer Garten des Institutes für Botanik der Universität Graz

Geographische Lage/Geographical situation

Geographische Breite/Latitude: 47°05' N
Geographische Länge/Longitude: 15°27' E Greenwich

Meereshöhe über NN/Height above sea level: 380 m

Station/Station: Universität Graz/University of Graz (365 m a.s.l.)

Klimadiagramm/Climatic diagram (nach/after Walter & Lieth* 1960)



Extremwerte/Extreme temperatures:

Absolutes Minimum/Absolute Minimum:	–23,7°C	(Febru ar 1929)
Absolutes Maximum/Absolute Maximum:	37,1°C	(Juli 1950)
Niedrigstes Tagesmittel/Mean of coldest day:	–18,8°C	(Jänner 1907)
Höchstes Tagesmittel/Mean of hottest day:	28,5°C	(Juli 1957)

Jahresmittel der Temperatur/Mean annual temperature:	1901–95: 9,0°C
Mittlere Summe der Jahresniederschläge/ Mean sum of precipitation per year:	1901–95: 865 mm
Durchschnittliche Andauer der Schneedecke/ Mean duration of snow cover:	1971–95: 43 Tage/days

*WALTER H. & LIETH H. 1960: Klimadiagramm-Weltatlas. 1. Lieferung.– VEV G. Fischer Jena.

Artenliste

SPERMATOPHYTA

GYMNOSPERMAE

Cupressaceae

1 Juniperus communis L. subsp. communis N 24

ANGIOSPERMAE

DICOTYLEDONEAE

Amaranthaceae

2 Amaranthus powellii S. WATSON N 40
3 Amaranthus powellii S. WATSON N 53

Apiaceae

4 Aegopodium podagraria L. N 69
5 Aethusa cynapium L. N 31
6 Angelica sylvestris L. N 11
7 Angelica sylvestris L. N 12
8 Angelica sylvestris L. N 52
9 Astrantia major L. subsp. carinthiaca (HOPPE) ARC. N 64
10 Astrantia major L. subsp. major N 57
11 Daucus carota L. s.l. N 56
12 Eryngium planum L. N 73
13 Heracleum sphondylium L. N 69
14 Pastinaca sativa L. subsp. sativa N 56
15 Peucedanum cervaria (L.) LAPEYR. N 58
16 Peucedanum oreoselinum (L.) MOENCH N 58
17 Pimpinella major (L.) HUDS. N 52
18 Pimpinella major (L.) HUDS. N 69
19 Pimpinella saxifraga L. N 52
20 Sanicula europaea L. N 52
21 Selinum carvifolia (L.) L. N 52
22 Torilis japonica (HOUTT.) DC. N 30

Asteraceae

23 Achillea millefolium L. s.l. N 36
24 Ambrosia artemisiifolia L. N 53
25 Arctium lappa L. N 39
26 Aster amellus L. N 03
27 Aster linosyris (L.) BERNH. N 03
28 Buphthalmum salicifolium L. N 19
29 Buphthalmum salicifolium L. N 26
30 Carduus crassifolius WILLD. subsp. glaucus (BAUMG.) KAZMI N 19
31 Carduus personata (L.) JACQ. N 10

32 Carduus personata (L.) JACQ. N 69
33 Centaurea jacea L. N 01
34 Centaurea jacea L. N 19
35 Centaurea jacea L. N 56
36 Centaurea jacea L. N 66
37 Centaurea scabiosa L. subsp. scabiosa N 01
38 Cichorium intybus L. N 56
39 Circaea lutetiana L. N 52
40 Cirsium arvense (L.) SCOP. N 45
41 Cirsium erisithales (JACQ.) SCOP. N 10
42 Cirsium erisithales (JACQ.) SCOP. N 23
43 Cirsium oleraceum (L.) SCOP. N 14
44 Cirsium oleraceum (L.) SCOP. N 61
45 Cirsium oleraceum (L.) SCOP. N 69
46 Cirsium vulgare (SAVI) TEN. N 36
47 Cirsium vulgare (SAVI) TEN. N 56
48 Crepis biennis L. N 56
49 Erechtites hieraciifolia (L.) RAFIN. ex DC. N 55
50 Erigeron glabratus HOPPE & HORNSCH. ex BLUFF & FING. N 22
51 Eupatorium cannabinum L. N 14
52 Eupatorium cannabinum L. N 19
53 Hieracium laurinum ARVET-TOUVET N 58
54 Hieracium pilosella L. N 56
55 Hieracium platyphyllum ARVET-TOUVET N 52
56 Hieracium racemosum WALDST. & KIT. ex WILLD. N 52
57 Hypochoeris radicata L. N 08
58 Hypochoeris radicata L. N 56
59 Inula conyza DC. N 26
60 Inula crithmoides L. N 81
61 Inula ensifolia L. N 01
62 Lapsana communis L. N 30
63 Lapsana communis L. N 52
64 Leontodon hispidus L. N 56
65 Petasites albus (L.) GAERTN. N 52
66 Prenanthes purpurea L. N 49
67 Pulicaria dysenterica (L.) BERNH. N 79
68 Scorzonera hispanica L. N 85
69 Senecio ovatus (P. GAERTN., MEY & SCHERB.) WILLD. subsp. ovatus N 55
70 Serratula tinctoria L. N 58
71 Solidago virgaurea L. subsp. virgaurea N 52
72 Tanacetum corymbosum (L.) C.H. SCHULTZ subsp. subcorymbosum (SCHUR) PAWL. N 26
73 Taraxacum officinale L. s.l. N 53
74 Tragopogon orientalis L. N 54
75 Tragopogon orientalis L. N 56
76 Tripleurospermum inodorum (L.) C.H. SCHULTZ N 48

Balsaminaceae

77 Impatiens glandulifera ROYLE N 34
78 Impatiens glandulifera ROYLE N 63
79 Impatiens noli-tangere L. N 61

Betulaceae

80 Alnus alnobetula (EHRH.) HARTIG N 25
81 Alnus alnobetula (EHRH.) HARTIG N 67
82 Alnus glutinosa (L.) GAERTN. N 63
83 Alnus incana (L.) MOENCH N 69

Boraginaceae

84 Echium vulgare L. N 37
85 Omphalodes verna MOENCH N 83
86 Pulmonaria officinalis L. N 04

Brassicaceae

87 Arabis hirsuta (L.) SCOP. N 66
88 Cardamine impatiens L. N 52
89 Dentaria enneaphyllos L. N 09
90 Dentaria enneaphyllos L. N 83
91 Lepidium campestre (L.) R. BR. N 84
92 Lunaria annua L. N 37
93 Peltaria alliacea JACQ. N 27

Campanulaceae

94 Campanula bononiensis L. N 01
95 Campanula persicifolia L. N 26
96 Campanula persicifolia L. N 56
97 Campanula rapunculoides L. N 21
98 Campanula rapunculoides L. N 52
99 Campanula trachelium L. N 30
100 Phyteuma persicifolium HOPPE N 68

Cannabaceae

101 Humulus lupulus L. N 14

Caprifoliaceae

102 § Viburnum opulus L. N 18
103 § Viburnum opulus L. N 62

Caryophyllaceae

104 Dianthus carthusianorum L. subsp. carthusianorum N 19
105 Lychnis flos-cuculi L. N 62
106 Petrorhagia saxifraga (L.) LK. N 43
107 Saponaria officinalis L. N 02
108 Silene dioica (L.) CLAIRV. N 01
109 Silene italica (L.) PERS. subsp. nemoralis (WALDST. & KIT.) NYMAN N 84
110 Silene latifolia POIR. subsp. alba (MILL.) GREUT. & BURDET N 66
111 Silene nemoralis WALDST. & KIT. N 30

112 Silene nutans L. N 19
113 Silene nutans L. N 56
114 Silene vulgaris (MOENCH) GARCKE N 35
115 Silene vulgaris (MOENCH) GARCKE N 42
116 Silene vulgaris (MOENCH) GARCKE N 56
117 Silene vulgaris (MOENCH) GARCKE subsp. angustifolia (MILLER) HAYEK N 80
118 Stellaria holostea L. N 04
119 Stellaria nemorum L. s. str. N 37
120 Stellaria nemorum L. s. str. N 69

Celastraceae

121 § Evonymus europaea L. N 18
122 § Evonymus europaea L. N 36
123 § Evonymus europaea L. N 63

Chenopodiaceae

124 Atriplex patula L. N 46
125 Chenopodium album L. N 53

Cistaceae

126 Helianthemum ovatum (VIV.) DUNAL N 66

Convolvulaceae

127 Calystegia sepium (L.) R.BR. N 44
128 Calystegia sepium (L.) R.BR. N 56
129 Ipomoea purpurea ROTH N 38

Cornaceae

130 § Cornus mas L. N 02

Corylaceae

131 Carpinus betulus L. N 58

Crassulaceae

132 Jovibarba hirta (L.) OPITZ N 22

Dipsacaceae

133 Knautia arvensis (L.) COULT. subsp. arvensis N 58
134 Knautia drymeia HEUFF. N 52
135 Scabiosa ochroleuca L. N 58
136 Succisa pratensis MOENCH N 62

Fabaceae

137 Anthyllis vulneraria L. N 21
138 Chamaecytisus supinus (L.) LINK N 52
139 Cytisus nigricans L. N 52
140 Dorycnium germanicum (GREMLI) ROUY. N 01
141 Galega officinalis L. N 72
142 Genista sagittalis L. N 65
143 Genista sagittalis L. N 66
144 Genista tinctoria L. N 49

145 Lathyrus latifolius L. N 01
146 Lathyrus pratensis L. N 56
147 Lathyrus sylvestris L. N 75
148 Lathyrus vernus (L.) BERNH. N 52
149 Medicago lupulina L. N 56
150 Melilotus alba MED. N 56
151 Trifolium medium L. N 56
152 Vicia cracca L. N 56
153 Vicia hirsuta (L.) S.F. GRAY N 56
154 Vicia oroboides WULFEN N 82
155 Vicia sepium L. N 56

Fagaceae

156 § Quercus cerris L. N 01
157 § Quercus ilex L. N 79
158 § Quercus pubescens WILLD. N 01

Gentianaceae

159 Gentiana asclepiadea L. N 21
160 Gentiana asclepiadea L. N 23
161 Gentiana asclepiadea L. N 24
162 Gentiana asclepiadea L. N 49
163 Gentianella germanica (WILLD.) BÖRNER. s.l. N 22
164 Gentianella germanica (WILLD.) BÖRNER. N 24

Geraniaceae

165 Geranium sibiricum L. N 45
166 Geranium sibiricum L. N 63

Hypericaceae

167 Hypericum hirsutum L. N 16
168 Hypericum hirsutum L. N 20
169 Hypericum cf. maculatum CR. N 15
170 Hypericum perforatum L. N 58

Lamiaceae

171 Ballota nigra L. subsp. nigra N 39
172 Betonica officinalis L. N 58
173 Betonica officinalis L. N 70
174 Clinopodium vulgare L. N 21
175 Clinopodium vulgare L. N 21
176 Clinopodium vulgare L. N 50
177 Galeopsis pubescens BESS. N 61
178 Galeopsis speciosa MILL. N 69
179 Lamium album L. N 41
180 Lycopus europaeus L. N 12
181 Melittis melissophyllum L. N 04
182 Origanum vulgare L. N 22
183 Origanum vulgare L. N 30

184 Origanum vulgare L. N 37
185 Prunella grandiflora (L.) SCHOLLER N 60
186 Prunella vulgaris L. N 52
187 Salvia glutinosa L. N 12
188 Salvia glutinosa L. N 20
189 Salvia nemorosa L. N 03
190 Salvia pratensis L. N 58
191 Salvia verticillata L. N 01
192 Salvia verticillata L. N 19
193 Stachys sylvatica L. N 55
194 Teucrium chamaedrys L. N 03
195 Thymus pulegioides L. subsp. chamaedrys (FRIES) VOLLMANN N 58

Linaceae

196 Linum cf. austriacum L. N 01
197 Linum tenuifolium L. N 02

Lythraceae

198 Lythrum hyssopifolia L. N 72
199 Lythrum salicaria L. N 63

Malvaceae

200 Hibiscus trionum L. N 71

Menyanthaceae

201 Menyanthes trifoliata L. N 07

Oleaceae

202 § Fraxinus ornus L. subsp. ornus N 77
203 § Ligustrum vulgare L. N 60
204 § Phillyrea angustifolia L. N 79

Papaveraceae

205 Chelidonium majus L. N 47
206 Chelidonium majus L. N 54

Plantaginaceae

207 Plantago major L. N 15
208 Plantago major L. subsp. major N 37
209 Plantago major L. subsp. major N 52
210 Plantago media L. N 58

Polygonaceae

211 Fallopia dumetorum (L.) HOLUB N 33
212 Fallopia dumetorum (L.) HOLUB N 53
213 Fallopia japonica (HOUTT.) RONSE DECR. N 36

Primulaceae

214 Lysimachia vulgaris L. N 63
215 Primula auricula L. N 22
216 Primula farinosa L. N 07

217 Primula veris L. N 20

Ranunculaceae

218 Aconitum anthora L. N 19
219 Aconitum anthora L. N 22
220 § Actaea spicata L. N 19
221 Clematis alpina (L.) MILL. N 26
222 Clematis vitalba L. N 01
223 Clematis vitalba L. N 39
224 Clematis vitalba L. N 67
225 Consolida ajacis (L.) SCHUR N 31
226 Helleborus niger L. subsp. niger N 09
227 Ranunculus acris L. N 52
228 Ranunculus auricomus L. s.l. N 04
229 Ranunculus repens L. N 52
230 Thalictrum flavum L. N 71

Resedaceae

231 Reseda lutea L. N 02

Rhamnaceae

232 § Frangula alnus MILL. N 14
233 § Frangula alnus MILL. N 52

Rosaceae

234 Agrimonia eupatoria L. N 01
235 § Crataegus monogyna JACQ. N 01
236 Duchesnea indica (ANDREWS) FOCKE N 32
237 Filipendula ulmaria (L.) MAXIM. subsp. denudata (J. & K. PRESL) HAYEK N 18
238 Filipendula ulmaria (L.) MAXIM. subsp. denudata (J. & K. PRESL) HAYEK N 63
239 Geum urbanum L. N 15
240 Physocarpus opulifolius (L.) MAXIM. N 15
241 Potentilla erecta (L.) RÄUSCHEL N 62
242 Potentilla erecta (L.) RÄUSCHEL N 66
243 Rubus nessensis W. HALL N 68

Rubiaceae

244 Galium rotundifolium L. N 55
245 Rubia peregrina L. N 77

Salicaceae

246pl.v. Salix fragilis L. N 54

Scrophulariaceae

247 Digitalis grandiflora MILL. N 20
248 Euphrasia cf. officinalis L. N 20
249 Gratiola officinalis L. N 72
250 Linaria vulgaris MILL. N 01
251 Linaria vulgaris MILL. N 22
252 Pedicularis palustris L. N 07

253 Scrophularia nodosa L. N 15
254 Scrophularia nodosa L. N 19
255 Scrophularia nodosa L. N 57
256 Scrophularia nodosa L. N 64
257 Verbascum chaixii VILL. subsp. austriacum (SCHOTT ex ROEM. & SCHULT.) HAYEK N 26
258 Verbascum chaixii VILL. subsp. austriacum (SCHOTT ex ROEM. & SCHULT.) HAYEK N 30
259 Verbascum chaixii VILL. subsp. austriacum (SCHOTT ex ROEM. & SCHULT.) HAYEK N 37
260 Verbascum nigrum L. N 20
261 Verbascum nigrum L. N 66
262 Verbascum phlomoides L. N 02
263 Veronica montana L. N 06
264 Veronica urticifolia JACQ. N 21

Simaroubaceae

265 Ailanthus altissima (MILL.) SWINGLE N 01

Solanaceae

266 § Atropa bella-donna L. N 55
267 § Scopolia carniolica JACQ. N 83
268 § Solanum nigrum L. em. MILLER N 43

Urticaceae

269 Pariataria diffusa MERT. & KOCH N 78

Violaceae

270 Viola tricolor L. subsp. tricolor N 19

MONOCOTYLEDONEAE

Alismataceae

271 Alisma plantago-aquatica L. N 74

Alliaceae

272 Allium senescens L. subsp. montanum (F. W. SCHMIDT) J. HOLUB N 29
273 Allium ursinum L. N 05

Asphodelaceae

274 Anthericum ramosum L. N 02

Cyperaceae

275 Carex flacca SCHREBER N 09
276 Carex hirta L. N 56
277 Carex cf. lepidocarpa TAUSCH N 07
278 Carex leporina L. N 52
279 Carex pallescens L. N 52
280 Carex pendula HUDS. N 59
281 Carex pulicaris L. N 08
282 Carex remota L. N 51
283 Carex spicata HUDS. N 50

284 Carex spicata HUDS. N 56
285 Carex sylvatica HUDS. N 52
286 Trichophorum alpinum (L.) PERS. N 07

Juncaceae

287 Luzula luzulina (VILL.) DALLA TORRE & SARNTH. N 09
288 Luzula luzuloides (LAM.) DANDY & WILM. N 52
289 Luzula multiflora (EHRH. ex RETZ.) LEJ. N 56
290 Luzula sylvatica (HUDS.) GAUD. N 27

Poaceae

291 Alopecurus geniculatus L. N 74
292 Anthoxanthum odoratum L. N 56
293 Arrhenatherum elatius (L.) J. & K. PRESL N 56
294 Avenella flexuosa (L.) PARL. N 55
295 Avenochloa pubescens (HUDS.) HOLUB N 56
296 Bothriochloa ischaemum (L.) KENG N 56
297 Brachypodium rupestre (HOST) ROEM. & SCHULT. N 70
298 Brachypodium sylvaticum (HUDS.) PB. N 16
299 Brachypodium sylvaticum (HUDS.) PB. N 39
300 Brachypodium sylvaticum (HUDS.) PB. N 55
301 Bromus erectus HUDS. N 28
302 Calamagrostis arundinacea (L.) ROTH N 49
303 Calamagrostis epigeios (L.) ROTH N 56
304 Cenchrus incertus CURTIS N 80
305 Cynosurus cristatus L. N 08
306 Dactylis glomerata L. N 56
307 Echinochloa crus-galli (L.) PB. N 40
308 Festuca gigantea (L.) VILL. N 52
309 Festuca rupicola HEUFF. N 56
310 Molinia arundinacea SCHRANK N 57
311 Phleum pratense L. N 13
312 Phleum pratense L. N 58
313 Phragmites australis (CAV.) TRIN. ex STEUD. N 18
314 Poa trivialis L. N 17
315 Setaria pumila (POIRET) ROEM. & SCHULT. N 56
316 Sorghum halepense (L.) PERS. N 76
317 Trisetum flavescens (L.) PB. N 56

Smilacaceae

318 § Smilax aspera L. N 77

Samen von kultivierten Arten aus dem Botanischen Garten und anderen Gärten

PTERIDOPHYTA

Woodsiaceae

319 Matteuccia struthiopteris (L.) TOD.

SPERMATOPHYTA

GYMNOSPERMAE

Cephalotaxaceae

320 § Cephalotaxus harringtonia (KNIGHT ex FORB.) K. KOCH var. drupacea (SIEB. & ZUCC.) KOIDZ.

ANGIOSPERMAE

DICOTYLEDONEAE

Acanthaceae

321 Acanthus mollis L.

Actinidiaceae

322 Actinidia melanandra FRANCH.

Agavaceae

323 Yucca spec.

Aizoaceae

324 G Argyroderma testiculare (AITON) N.E. BR.
1972: Bot. G. Kiel

325 G Conophytum bilobum (MARLOTH) N.E. BR. subsp. bilobum
1980: Bot. G. Zürich

326 G Gibbaeum velutinum (L.BOLUS) SCHWANTUS
1980: Bot. G. Zürich

327 G Glottiphyllum latum (SALM-DYCK) N.E. BR.
1980: Sukkulentensammlung Zürich 1979: 703

328 G Glottiphyllum neilii N.E. BR.

329 G Glottiphyllum salmii (HAW.) N.E. BR.
1985: Bot. G. München

330 G Lithops bromfieldii L. BOLUS var. glaudinae (DE BOER) D.T.COLE

Aloaceae

331 G Gasteria carinata (MILL) DUVAL var. verrucosa (MILL.) VAN JAARSV.

Apiaceae

332 Athamanta sicula L.
1999: Bot.G. Firenze 1997: 216

333 Bupleurum longifolium L. subsp. aureum (HOFFM.) SOÓ
1999: Russland; Altai Mts., Edigan, 800 m, 1992; Bot. G. Tartu 1998: 36

334 Bupleurum rotundifolium L.
2000: Bot. G. Nantes 2000: 12

335 Bupleurum scorzonerifolium WILLD. subsp. stenophyllum f. kiusianum (NAKAI) KITAGAWA

336 Cryptotaenia japonica HASSK.
1993: Bot. G. Okamoto 1993: 360

337 Eryngium planum L.
1998: Bot. G. Târgu-Mures 1997: 53

338 Eryngium wrightii A. GRAY
1994: Bot. G. Kiel 1993: 119

339 Eryngium yuccifolium MICHX.
1994: USA; Illinois, Bot. G. Chicago, Glencoe 1993: 42

340 Grafia golaka (JACQ.) RCHB.
1982: Bot. G. Ljubljana 1982: 530

341 Orlaya grandiflora (L.) HOFFM.
1998: Schweiz; Valais 500 m; Bot. G. Genève 1997: 426

342 Peucedanum austriacum KOCH subsp. rablense (WULF.) KOCH
1988: Italien, Montasio, Via Alta, 1570 m; leg. T. Ster

343 G Scandix pecten-veneris L.
2000: Bot. G. Porrentruy 1999: 345

Apocynaceae

344 Apocynum cannabinum L.
1990: USA; Clinton Co.; Bot. G. East Lansing (W.J. Beal) 1989/90: 383

Araliaceae

345 Aralia cordata THUNB.
1989: Japan; Mt. Ishizuchi, Central Shikoku, Kochi Pref.; Bot. G. Chiba-Matsudo 1988: 95

Aristolochiaceae

346 G Aristolochia arborea LINDEN
1998: Bot. G. Wien; live plant

Asclepiadaceae

347 Asclepias speciosa TORR.

348 G Stephanotis floribunda (R. BR.) BRONGN.

Asteraceae

349 Achillea pyrenaica SIBETH. ex DC.
2000: B.G. Cogne 1999/00: 870

350 Andryala agardhii HAENSLER ex DC.
1987: Bot. G. Brünn, Univ. of Agriculture 1986: 175

351 Arnica montana L.
1999: Österreich; Steiermark, Kraubath i. d. W., 350 m; leg F. Steffan

352 Artemisia chamaemelifolia VILL.
1996: Italien; Aosta, Cogne, Val Urtier, 1700-1900 m; leg. T. Ster

353 Artemisia verlotiorum LAMOTTE
2000: Österreich; Salzburg, Hallwang, ca. 460 m; Bot .G. Salzburg 1999: 80

354 Aster alpinus L.

355 Aster amellus L. subsp. scepusiensis (KIT. ex KANITZ) J. DOSTÁL
1997: Slovakei; Vel'ká Fatra, Blatnický hrad; Bot. G. Bratislava 1996: 261

356 Aster caucasicus WILLD.
1973: Bot. G. Potsdam 1972: 262

357 Aster mongolicus FRANCH.
1993: Bot. G. Wageningen 1993: 20015

358 Aster pyrenaeus DESF. ex DC.
1993: Frankreich; Pyrenäen, Hautes Couterets, 1300 m; Bot. G. Wageningen 1993: 20016

359 Aster tataricus L.
1998: Rußland; Distr. Ussurijskij, prope pagum Gornotaezhnoje; Bot. G. St. Petersburg 1995/96: 2690

360 Aster thomsonii C.B. CLARKE
1990: Bot. G. Kiel 1989/90: 208

361 Aster trinervius D. DON subsp. ovata FR. & SAV. f. yezoensis
2000: Bot. G. Weinheim 1999: 48

362 Aster yunnanensis FRANCH.
1975: Bot. G. Tabor 1974: 50

363 G Asteriscus sericeus L.
1996: Spanien; Kanarische Inseln, Fuerteventura, Pico de la Zarza, 700-800 m; Bot. G. Salzburg 1995: 113

364 Cacalia hastata L.
1997: Bot. G. Wuppertal 1996: 304

365 Carduncellus mitissimus (L.) DC.
1990: Bot. G. Erlangen 1989: 82

366 G Centaurea calcitrapa L.
2001: Italien; Casotto i Venezia, Marino di Grosetto strada vecchia, 10 m; Bot. G. Siena 2000: 146

367 Centaurea fritschii HAYEK
1994: Bot. G. Târgu-Mures 1993: 287

368 Centaurea grinensis REUT. subsp. fritschii (HAYEK) DOSTÁL
2000: Bot. G. Târgu-Mures 1999: 77

369 Chrysogonum virginianum L.

370 Cichorium endivia L. subsp. divaricatum (SCHOUSB.) P.D. SELL
2000: Bot. G. Stuttgart-Hohenheim 1997 : 214

371 Coreopsis tripteris L.
1994: USA; Lake/DuPage Co.; Bot. G. Chicago, Glencoe 1993: 36

372 Doronicum orientale HOFFM.
1995: Bot. G. Bern 1995: 294

373 Erigeron atticus VILL.
1998: Schweiz; Wallis, 2400 m; Bot. G. Chemnitz 1997: 250

374 Gerbera nepalensis SCH. BIP.
2000: Baumschule Zenz, Graz, A; 1999: 344

375 Hedypnois cretica WILLD.
2001: Griechenland; Centrale Monastire de Metamorphosis, Galajidi, 310 m; Bot. G. Paris 2000: 253

376 Helenium autumnale L.
1993: Bot. G. München 1992: 295

377 Helichrysum italicum D. DON
1999: Kroatien; Krk, Baška, leg. F. Steffan 1998

378 Hieracium bupleuroides C.C. GMEL.
1996: Italien; Aosta Cogne, Lilac, ca.1700 m; leg. T. Ster

379 Hieracium hypeuryum NAEG. & PET.

380 Hieracium lanatum WALDST. & KIT. ex WILLD.

381 Hieracium scorzonerifolium VILL.
1995: Italien; Triest, Val Rosandra; leg. F. Steffan

382 Hieracium tomentosum (L.) L.
1996: Italien; Aosta, Cogne, Val Grauson, ca. 2300 m; leg T. Ster

383 Inula bifrons (L.) L.
1995: Italien; Lombardia, Castelnovate-Valle, Fluviale del Ticino, 195 m;
Bot. G. Cairate 1994

384 Jurinea arachnoidea BUNGE
2001: Bot. G. Iasi 2000: 1132

385 Jurinea depressa C. A. MEY.
2000: Bot. G. Bochum 1999: 65

386 Jurinea mollis REICHB.
2000: Bot. G. Cluj-Napoca 1999: 1876

387 Leontopodium koreanum NAKAI
1998: H. Voigtmann, Schneeberg/Erzg., D; 1997/98

388 Leontopodium nivale (TEN.) HUET
1999: Italien; Altare dello Stincone, Majella; Bot. G. Lama dei Peligni 1998: N0081

389 Leontopodium souliei BEAUVERD
1985: Bot. G. Basel 1984/85: 789

390 Leontopodium wilsonii BEAUVERD

391 Leuzea conifera (L.) DC.

392 Liatris aspera MICHX.
1994: USA; Illinois, Cook Co.; Bot. G. Chicago, Glencoe 1992: 46

393 Liatris regimontis K. SCHUM.
1999: Bot. G. Olomouc 1998: 125

394 Ligularia glauca (L.) HOFFM.
1997: Bot. G. Kaunas 1996: 364

395 Ligularia japonicum LESS. ex DC.
1998: Bot. G. Okamto 1998: 156

396 Ligularia sachalinensis NAKAI
1997: Bot. G. Mo i Rana 1996: 45

397 Ligularia vorobievii VOROSH.
1996: Bot. G. Bergen 1995: 126

398 G Marshallia grandiflora BEADLE & BOYNT.
2000: Bot. G. Bonn 1999/2000: 148

399 G Moscharia pinnatifida RUIZ & PAV.
2000: Bot. G. Potsdam 1999/00: 182

400 G Mutisia coccinea A. ST. HIL.
2000: Bot. G. Dresden

401 G Onoseris onoseroides B. L. ROBINSON
1998: Bot. G. Kiel 1997/98: 365

402 G Pericallis webbii C. BOLLE
2000: Spanien; Gran Canaria, Montaña de Arucas, N-Küste, 400 m; Bot. G. Berlin-Dahlem 1999: 921

403 G Podachaenium eminens (LAG.) BAILL.
2001: Bot. G. Bochum 2000: 266

404 Ptilostemon afer (JACQ.) GREUTER

405 Rudbeckia triloba L.
1996: USA; Michigan, Ingham Co., 84°31´W, 42°41´N, 2 62 m, Biggi Munn Park North; Bot. G. East-Lansing 1996: 52

406 Saussurea grandifolia MAXIM.
1990: Bot. G. Vladivostok 1989: 60

407 Senecio cannabinaefolius LESS.
1997: Japan; Hakone, Mt. Myojo ca. 800-900 m; Bot. G. Okamoto 1997: 95

408 Senecio chrysanthemoides DC.
1998: Bot. G. Berlin 1997: 855

409 Taraxacum serotinum (WALDST. & KIT.) POIR.
1999: Rumänien; Distr. Constanta, Adamclisi; Bot. G. Cluj-Napoca 1998: 1834

410 Telekia speciosa (SCHREB.) BAUMG.
1997: Österreich; Kärnten, Karawanken, Seebergsattel; 1050 m; leg. F. Steffan

411 Townsendia mensana M.E. JONES
1997: Bot. G. Lambert College, London 1996/97: 131

412 Townsendia spec.
1997: F. Hadacek, Wien, A

413 Tragopogon pratensis L. subsp. minor (MILL.) HARTM.
1998: Frankreich; Seine et Marne, Gouaix; Bot. G. Paris 1991: 64

414 Urospermum dalechampii F. W. SCHMIDT
2002: Bot. G. St. Gallen 2001: 278

415 Vernonia altissima NUTT.
1993: Bot. G. Bayreuth 1992/93: 193

Balsaminaceae

416 Impatiens flemingii HOOK.
1998: Pakistan; Kaghan, Shogran, 2250 m; Bot. G. Göttingen 1997: 640

Begoniaceae

417 G Begonia cucculata WILLD.
1998: Bolivien; Cochabamba; Bot. G. Kopenhagen 1998: 592

Bignoniaceae

418 G Kigelia africana BENTH.
1998: E. Kur; Vracov, Tschechien; live plant

Boraginaceae

419 Alkanna graeca BOISS. & SPRUNER
2000: Bot. G. Meyrin 1999: 334

420 Anchusa myosotidiflora LEHM.

421 Buglossoides purpureo-caeruleum (L.) I.M. JOHNST.

422 Cerinthe major L.
2000: Bot. G. Weinheim 1999: 111

423 G Echium russicum J.F. GMEL.
1998: Rumänien; Distr.Mures, Zau de Campie; Bot. G. Cluj-Napoca 1997: 2187

424 G Echium virescens JAN
1997: Spanien; Teneriffa, Güimar, E- Abhänge der Kadesa de Güimar, Mirador de Don Martin 28°17´40´N 16°24`30`W, 426m; leg. G. Deu tsch & G. Prenner

425 Eritrichium sibiricum
1998: Rock Garden Society 1997/98: 1580

426 Lithospermum erythrorhizon SIEB. & ZUCC.
1993: Bot. G. Tsukuba 1993: 836

427 Mertensia sibirica (L.) G. DON

428 Onosma echioides L.
1995: Slowenien; Nanos; leg. F. Steffan

Brassicaceae

429 Aethionema coridifolium DC.
1996: Bot. G. Kyoto 1995: 125

430 Aethionema grandiflorum BOISS. & HOHEN.

431 Aethionema saxatile (L.) R. BR.

432 Alyssoides utriculata (L.) MEDICUS
1996: Italien; Aosta, Cogne, Val Grauson; leg. T. Ster

433 Alyssum alpestre L.
1997: Italien; Aosta, Cogne, Val Urtier; leg. K. Marquart u. F. Steffan

434 Alyssum montanum L. subsp. montanum
2001: Italien; Abruzzen, Gran Sasso, 1250 m; Bot. G. L'Aquila 2000: 2

435 Arabis hirsuta (L). SCOP.
1999: Schweiz; Valais, 1300 m; Bot. G. Genève 1998: 495

436 Arabis turrita L.
1994: Schweiz; Valais, 1150 m; Bot. G. Genève 1994: 904

437 Aubrieta columnae GUSS.
1994: Bot. G. Lublin 1993: 559

438 Draba aizoides L.
Österreich; Steiermark, Steirische Eisenwurzen, 2000 m; leg. T. Ster

439 Draba arabisans MICHX.
1997: Bot. G. Gießen 1997/98: 265

440 Draba daurica DC.

441 Draba loiseleurii BOISS.
1995: Bot. G. Meyrin 1995: 354

442 Iberis pruttii TINEO
1994: Bot. G. Warschau 1993: 208

443 Isatis tinctora L.

444 Kernera boissieri REUTER in BOISS. & REUTER
1988: Bot. G. Meyrin 1988: 651

445 Physaria didymocarpa A. GRAY
2001: Rock Garden Society

446 Ptilotrichum spinosum (L.) BOISS.

447 Schivereckia dörfleri (WETTST.) BORNM.
1999: Bot. G. Halle 1999: 2495

448 Schivereckia monticola ALEXEJENKO
1999: Bot. G. Halle 1999: 2497

Cactaceae

449 G Astrophytum ornatum (DC.) F. A. C. WEBER

450 G Aylostera robustispina RITTER
1996: Bot. G. Jibou 1996: 130

451 G Cleistocactus straussii (HEESE) BACKEB.

452 G Frailea aureinitens A.F.H. BUINING & A.H. BREDEROO
1996: Fa. Haage, Erfurt, D; live plant

453 G Frailea grahliana (F.A. HAAGE, JR. ex SCHUM.) BRITT. & ROSE
1996: Fa. Haage, Erfurt, D; live plant

454 G Frailea hostii F. RITTER
1996: Fa. Haage, Erfurt, D; live plant

455 G Frailea pulcherrima (AR.) BACKEB.
1996: Fa. Haage, Erfurt, D; live plant

456 G Frailea pullispina BACKEB.
1996: Fa. Haage, Erfurt, D; live plant

457 G Frailea uhligiana BACKEB.
1996: Fa. Haage, Erfurt, D; live plant

458 G Frailea ybatensis A.F.H. BUINING & G. MOSER
1996: Fa. Haage, Erfurt, D; live plant

459 G Lophophora williamsii COULT.
1953: Bot. G. Berlin

460 G Mammillaria bombycina QUEHL

461 G Mammillaria carnea ZUCC.
1970: Bot. G. Košice

462 G Mammillaria ingens BACKEB.

463 G Mammillaria petterssonii HILDM.
1979: Bot. G. Berlin-Dahlem

464 G Parodia comarapana CARDENAS
1971: Bot. G. Linz

465 G Parodia microsperma (F.A.C. WEBER) SPEG.
1971: Bot. G. Wien

466 G Sulcorebutia breviflora BACKEB.
1996: Fa. Uhlig, Kernen, D; live plant

Calycanthaceae

467 § Chimonanthus praecox (L.) LINK.

468 § Sinocalycanthus chinensis (CHENG & S. Y. CHANG) CHENG & S. Y. CHANG
1998: Baumschule Scherer, Weiz, A; live plant

Campanulaceae

469 Adenophora lilifolia LEDEB.
2000: Bot. G. St. Gallen 1999: 387

470 Campanula americana L.
1997: USA; Michigan, Ingham Co.; Bot. G. München 1996/97: 491

471 Campanula cervicaria L.
2000: Bot. G. Tübingen 1999: 399

472 Campanula cochleariifolia LAM.

473 Campanula ephesia BOISS.
1990: Bot. G. Bern 1989: 150

474 Campanula fenestrellata FEER subsp. istriaca (FEER) FED.
1998: Kroatien; Istrien, Labin, 50 m; leg. T. Ster

475 Campanula glomerata L.
2000: Bot. G. Chemnitz 1999: 263

476 Campanula grossheimii CHAR.
1999: Bot. G. Göttingen 1998: 945

477 Campanula makaschvilii E. BUSCH.
2000: Bot. G. Besançon 1999 p.13

478 Campanula poscharskyana DEGEN

479 Campanula prenanthoides DURAND
2000: Fa. Chiltern Seeds, Cumbria, UK; 1999: 267F

480 Campanula takhtadzhianii FED.
2000: G. Böhme, Rabenau, D; 1999

481 Campanula thyrsoides L. subsp. thyrsoides
1997: Schweiz; Appenzell, Hoher Kasten, ca: 1650 m; leg. P. Gigerl

482 Canarina canariensis KUNTZE
1978: Bot. G. Paris 1977: 533

483 Codonopsis pilosula (FRANCH.) NANNF.
1997: Inst. of trop. and subtrop. Agriculture Prag 1997: 153

484 Edraianthus caricinus SCHOTT, NYM., & KOTSCHY
1997: Bot. G. Plzen 1996: 25

485 Edraianthus parnassicus (BOISS. & SPRUNER) HALACSY
1998: H. Voigtmann, Schneeberg/Erzg., D

486 Edraianthus serbicus PETROV.

487 Edraianthus tenuifolius (WALDST. & KIT.) A. DC.

488 Jasione heldreichii BOISS. & ORPH.
1994: Bot. G. Kerkrade 1993/94: 254

489 Jasione montana L.
2001: Bot. G. Caen 2000/01: 77

490 Michauxia tchihatcheffii FISCH. & HELDR.
1997: Bot. G. Basel 1996: 142

491 Platycodon grandiflorus (JACQ.) A. DC.

492 Platycodon grandiflorus (JACQ.) A. DC. cv. Nana
1997: Bot. G. Okamoto 1997: 39

493 Platycodon grandiflorus (JACQ.) A. DC. fl. rosea
1998: Baumschule Viellieber, Graz, A; live plant

Caprifoliaceae

494 Triosteum pinnatifidum MAXIM.
1997: Bot. G. Innsbruck 1996: 285

495 Triosteum rosthorni DIELS & GRAEBN.
1998: Bot. G. Frankfurt 1998: 555

Caricacae

496 G Carica papaya L.
1996: Kenia; comm. J. Ruckenstuhl

497 G Carica quercifolia BENTH. & HOOK.
1993: Bot. G. München 1992: 2399

Caryophyllaceae

498 Agrostemna githago L.
2001: Bot. G. Szeged 2000: 536

499 Arenaria micradenia P. SMIRN.

500 Arenaria procera SPRENG. subsp. glabra (F.N. WILLIAMS.) HOLUB

501 Arenaria pungens CLEM.

502 Arenaria tetraquetra L.

503 Cerastium carinthiacum VEST

504 Dianthus carthusianorum L. subsp. atrorubens (ALL.) SER.
1998: Kroatien; Istrien bei Medulin; leg. K. Marquart

505 Gypsophila paniculata L.
2001: Bot. G. Moscow 2000: 624

506 Lychnis chalcedonica L.
1984: Bot. G. Tübingen 1983: 418

507 Lychnis yunnanensis BAKER
1995: Bot. G. Bergen 1994: 92

508 Minuartia gerardii (WILLD.) HAYEK
1996: Italien; Aosta, Cogne, Val Grauson; 2100 m, leg. T. Ster

509 Minuartia kashmirica (EDGEW.) MATTF.
1996: Bot. G. München 1995: 602

510 Minuartia laricifolia (L.) SCHINZ & THELL.

511 Petrorhagia prolifera (L.) BALL & HEYW.
1995: Polen; Wojwodschaft Bydgoszcz, ca. 5km NE Swiecie, 30-40m; leg. A. Drescher

512 Saponaria persica BOISS.
1995: Bot. G. Cluj-Napoca 1994: 309

513 Saponaria pumilio BOISS.
1998: Türkei; Prov. Mugla, Cal Dag, 1400 m; Bot. G. Göteborg 1997: 35

514 Saponaria sicula RAFIN. subsp. intermedia (SIMMER) CHATER
1998: Griechenland; Epirus Ioanina, Smolikas-Oros, 1100 m; Bot. G. Marburg 1996: 392

515 Silene atropurpurea (GRIESEB.) GREUTER & BURDET
1998: Griechenland; Makedonien, Nomos Kastorias, Friski/Kato Arena, 1500 m; Bot. G. Berlin-Dahlem 1998:

516 Silene friwaldskyana HAMPE
1994: Bot. G. Bonn 1993/94: 271

517 Silene hayekiana HAND.-MAZZ. & JANCHEN
1969: Kroatien; leg. H. Teppner

518 Silene hayekiana HAND.-MAZZ. & JANCHEN
1996: Österreich; Kärnten, Dobratsch, Untere Schütt; leg. F. Steffan

519 Silene nutans L.
1996: Schweiz; St. Gotthard Paß, Paßhöhe, 2100 m; leg. P. Gigerl

520 Silene pusilla WALDST. & KIT.
1994: Österreich; Steiermark, Schneealm, 1500 m; leg. P. Gigerl

521 Silene saxifraga L.
1994: Kroatien; Istrien, nähe Opatia; leg. E. Bregant

Cistaceae

522 Cistus albanicus E.F. WARB. ex HEYWOOD

523 Helianthemum nitidum CLEM.

524 G Tuberaria lignosa SAMPAIO
1994: Italien; Civitella Maritima (Grosseto); Bot. G. Siena 1994: p.16

Crassulaceae

525 G Aichryson dichotomum (DC.) WEBB. & BERTH.
1994: Spanien; Teneriffa, Macizo de Teno, Monte del Agua, W of Erjos; leg. M. Magnes

526 G Aichryson spec.
1998: Spanien; Teneriffa, Anaga Halbinsel, Park Forestal, 750 m; leg. G. Deutsch

527 Chiastophyllum oppositifolium A. BERGER
2000: Russland; West-Caucasus, 1590 m; Bot. G. Brünn 1999: 58

528 Orostachys spinosa SWEET.

529 Rhodiola arctica L.

530 Rhodiola kirilowii (REGEL) REGEL ex MAXIM.
1974: Bot. G. Tallin 1975: 242

531 Rhodiola semenowii (REGEL & HERDER) BORISS.
1978: Bot. G. Berlin-Dahlem 1978/79: 510

532 Rosularia rechingeri JANSSON
1997: Bot. G. Amay 1996: p.5

533 Sedum ishidae MYABE & KUDO
1993: Bot. G. München

534 Sedum ochroleucum CHAIX

535 Sedum reflexum L.
1996: Italien; Aosta, Cogne, Val Grauson, 1900 m; leg. T. Ster

536 Sedum sediforme (JACQ.) PAU

537 Sedum takesimense NAKAI
1995: Bot. G. Northampton 1994/95: 484

538 Sedum telephium L.

539 Sempervivum pittonii SCHOTT, NYMAN & KOTSCHY

540 Sempervivum ruthenicum KOCH

Cucurbitaceae

541 G Cucurbita foetidissima H. B. & K.
1989: California; San Diego Co.: Route 67 N of Lakeside, 1,6 km S of Route S4, 550 m, elev. Flat sandy mesas and coastal scrub; Bot. G. Berkeley 1985-86: 116

Dipsacaceae

542 Cephalaria alpina (L.) SCHRAD. ex ROEM & SCHULT.
1998: Bot. G. Antwerpen 1997/98: 530

543 Cephalaria flava SZABO
1998: Bot. G. Cambridge 1997

544 Dipsacus sylvestris HUDS.
1995: Italien; Lombardia, Castelnovate Valle olona, 300 m; Bot. G. Cairate

545 Scabiosa graminifolia L.
1999: Slowenien; Ternovaner Wald, Ajdovcina, Caven, ca. 1000 m; leg. F. Steffan

546 Scabiosa ochroleuca L.
1992: Österreich; Burgenland, Burg Güssing; leg. F. Steffan

Ebenaceae

547 G Diospyros lydioides DESF.

Fabaceae

548 G Albizia polyphylla FOURN.
1991: Spanien; Teneriffa, Santa Cruz, Orotova

549 G Anthyllis barba-jovis L.
1996: Italien; Punta Ala (Grosseto) 26.6.95, scogliere marine, 40 m; Bot. G. Siena 1996: p.4

550 Anthyllis vulneraria L.
1995: Slowenien; Julische Alpen, Razor, Mlinarica Quelle, 740 m; leg. F. Steffan

551 Anthyllis vulneraria L. subsp. alpestris (KIT. ex SCHULT.) ASCH. & GR.

552 Astragalus centralpinus BRAUN-BLANQET
1997: Italien; Aosta, Cogne, 1200 m; leg. K. Marquart

553 Astragalus mongholicus BUNGE
1993: Bot. G. Jena 1992/93: 2747

554 Astragalus purpureus LAM.
1978: Bot. G. Cluj-Napoca 1977: 824

555 Baptisia australis R. BR.

556 Cytisus sessilifolius L.
2000: Italien, Bagnaia (Siena), bordo bosco, 243m; Bot. G. Siena 2000: 213

557 Desmodium canadense D.C.
2000: Bot. G. St. Gallen 1999: 529

558 Dorycnium germanicum (GREMLI) ROUY.

559 Glycyrrhiza glabra L.
1991: USSR; Badachschan, 1400-4400 m; Bot. G. Chorog 1989/1990: 1248

560 G Kennedia beckxiana F. MUELL.
2002: Bot. G. Berlin-Dahlem; live plant

561 Lathyrus latifolius L.

562 G Lupinus giganteus ROSE
1999: Italien; Obstmarkt; comm. G. Posch

563 G Medicago arborea L.
1995: Griechenland; Insel Samos; leg. H. Hagen

564 Ononis spinosa L.
1998: Kroatien; Krk, Baška; leg. F. Steffan

565 Oxytropis campestris (L.) DC.

566 G Pithecellobium unguis-cati MART.

567 Thermopsis caroliniana M.A. CURTIS
1990: Bot. G. Edmonten 1989/90: 288

568 Thermopsis lanceolata R. BR.
1991: Russland; Oriens extremus, Ins. Kunaschir; Bot. G. Moskau Principalis 90-92: 1745

569 G Trifolium purpureum L.
1997: Griechenland; Insel Samos; leg. H. Hagen

Fumariaceae

570 Dicentra scandens (D. DON) WALP.
2000: Bot. G. München 1999: 2073

Gentianaceae

571 Blackstonia perfoliata (L.) HUDS.

572 Centaurium erythraea RAFN.

573 Gentiana dahurica FISCH.
1996: Fa. Edler, Graz, A; live plant

574 Gentiana decumbens L.

Geraniaceae

575 Geranium farreri STAPF

576 Geranium reichardii MARR.

577 Geranium richardsonii FISCH. & TRAUTV.
2000: Bot. G. Glasgow 2000: 165

578 Geranium transbaicalicum SERGIEVSK.
1999: Bot. G. Poznan 1998/99: 1127

579 Geranium wallichianum D. DON
1999: Bot. G. Lublin 1998: 842

580 Pelargonium endlicherianum FRENZEL
1978: Bot. G. Leicester

581 G Pelargonium zonale (L.) L'HÉR. ex AITON
1997: Südafrika; ZAF Kapprovinz, Kouga River; Bot. G. Marburg 1996: 555

Gesneriaceae

582 Haberlea ferdinandi-coburgi URUM.

583 Haberlea rhodopensis FRIV.
1970: Bulgarien; Backovo; leg. Krendl

584 Ramonda myconi (L.) RCHB.

585 Ramonda myconi (L.) RCHB. f. rosea

Globulariaceae

586 Globularia aphyllanthes CRANTZ
1996: Bot. G. Budapest 1996: 1161

587 Globularia punctata LAPEYR.
1993: Schweiz; Valais, Fully-Branson, ca. 700 m; Bot. G. Champex 1992: p.6

588 Globularia valentina WILLK.
1997: Bot. G. Tartu 1996: 270

Hydrangeaceae

589 Kirengeshoma koreana NAKAI
1988: Bot. G. Vancouver 1987: 111

590 Kirengeshoma palmata YATABE

Hypericaceae

591 Hypericum ascyron L.
1994: Bot. G. Berlin-Dahlen 1993: 875

592 Hypericum barbatum JACQ.
2000: Bot. G. Linz 1999: 313

593 Hypericum coris L.
1996: Alpes-Maritimes, Bot. G. Lyon 1996: 1003

594 Hypericum degenii BORNM.

595 Hypericum forrestii (CHITT.) N. ROBSON
1998: RHS Wisley 1998: 474

596 Hypericum kouytchenense LEVEILLE
1998: Rock Garden Society

597 Hypericum olympicum L.

Lamiaceae

598 Agastache anisata BENTH.
2000: Bot. G. Destelbergen 1999/00: 14

600 Betonica officinalis L.
1985: Italien; Prov. Triest, Triest-Opicino; leg. J. Poelt

601 G Bystropogon canariensis L'HÉR.
1998: Spanien; Teneriffa; leg. H. Mayrhofer

602 Dracocephalum argunense FISCH.
1997: Bot. G. Poznan 1996/97: 1197

603 Dracocephalum calophyllum HAND.-MAZZ.
1997: Bot. G. Innsbruck 1996: 456

604 Dracocephalum ruyschiana L.

605 Micromeria dalmatica BENTH.

606 Monarda citriodora CERV. ex LAG.
2000: Bot. G. Konstanz 1999: 373

607 Monarda fistulosa L.
1994: USA; Michigan, Clinton Co.; Bot. G. East Lansing (W.J. Beal) 1994: 63

608 Nepeta pannonica L.
1998: Rumänien; Distr. Cluj, Rediu; Bot. G. Cluj-Napoca 1997: 2127

609 Nepeta podostachys BENTH.
1999: Pakistan; NW-Prov. Ushu Valley; Bot. G. Innsbruck 1998: 316

610 Phlomis cashmeriana ROYLE ex BENTH.
1998: Bot. G. Giessen 1997/98: 662

611 Plectranthus glaucocalyx MAXIM.
1994: Bot. G. Rostock 1993: 601

612 Salvia austriaca JACQ.
1997: Bot. G. Cluj-Napoca 1997: 2128

613 Salvia bucharica POPOV.
2000: Bot. G. Târgu-Mures 2000: 385

614 Salvia jurisicii KOSANIN
1990: Bot. G. Marseille 1990: 4638

615 Salvia kopetdaghensis KUDR.
2000: Bot. G. Koblenz 1999/2000: 78

616 Salvia tiliifolia VAHL
1999: Bot. G. Rennes 1998: 534

617 Scutellaria baicalensis GEORGI
1997: Inst. of trop. and subtrop. Agriculture Prag 1997: 253

618 Scutellaria woronowii JUZ.
2000: Bot. G. Bratislava 1999: 154

619 Stachys macrantha (K. KOCH) STEARN

620 Stachys recta L. subsp. recta
1997: Italien; Aosta, Cogne, Val Grauson, 1200 m; leg. K. Marquart & F. Steffan

621 G Teucrium flavum L. subsp. flavum
1995: Frankreich; Korsika; Südliches Küstenbergland ca. 2 km N Bonifacio, Miozänkalk, Straßenränder mit niedrigem Hartlaubgebüsch und Garrigue, 60 m; 28.05.1995; leg. A. Drescher

622 G Teucrium massiliense L.
1996: Griechenland; Ägäische Inseln, Samos, N- Abhänge, [37°50´N 27°00E]; leg. H. Hagen

Linaceae

623 Linum flavum L.

Malvaceae

624 G Alyogyne huegelii (ENDL.) FRYX.
1992: Bot. G. Nancy 1999: p.35

625 G Gossypium barbadense L.
1996: IPK Gatersleben 1996: p.89

626 Iliamna rivularis GREENE
1999: Fa. Chiltern Seeds, UK-Cumbria 1999: 702R

627 Sida hermaphrodita (L.) RUSBY
1996: Bot. G. Potsdam 1995/96: 716

Myrsinaceae

628 G Myrsine africana L.

Myrtaceae

629 G Callistemon lanceolatus SWEET

630 G Psidium cattleyanum WEINW.

631 G Psidium cerasoides CAMBESS
1975: Bot. G. Latte

632 G Psidium molle BERTOL.
1970: Bot. G. Habana 1969: 364

Nymphaeacae

633 G§ Victoria cruziana ORB.
1997: Bot. G. Potsdam 1995/96: 1629

Oleaceae

634 Jasminum humile HEYNE ex WALL.
1986: comm. F. Kummert

Oxalidaceae

635 Oxalis tuberosa MOLINA pl. v.
2000: Arche Noah, Schiltern, Niederösterreich, A;

Paeoniaceae

636 Paeonia officinalis L. subsp. villosa (HUTH) CULLEN & HEYW.
1988: Frankreich; Alpes-Maritimes; leg. T. Ster

Papaveraceae

637 Meconopsis cambrica (L.) VIG f. orange

638 Papaver bracteatum LINDL.
1991: Azarbayejan; Jolfa, North of Kamtal, 600-1300 m; Bot. G. Tehran 1990/91: 271

639 Papaver fugax POIR.
1997: Bot. G. Med. Brno 1996/97: 101

640 Stylophorum diphyllum (MICHX.) NUTT.
1998: Bot. G. Bern 1997: 861

Pittosporaceae

641 G Pittosporum crassifolium BANKS & SOLAND. ex A. CUNN.
1973: Bot. G. Köln

642 G Pittosporum undulatum VENT.

Plantaginaceae

643 Plantago coronopus L.
1997: Frankreich; Pas-de Calais; Bot. G. Jean Massart Brüssel 1996:100

644 Plantago serpentina ALL.
1984: Schweiz; Fimbertal, Heidelberger Hütte; ca. 2300 m; leg. Jacobsen

Plumbaginaceae

645 Armeria alliacea (CAV.) HOFFMANNS. & LINK
2000: Bot. G. Regensburg 1999/2000: 520

646 Armeria alpina WILLD.

647 Armeria pseudarmeria (MURR.) MANSF.
2000: Portugal; Bot. G. Nantes 1999/2000: 695

648 Armeria sibirica TURCZ. ex BOISS.

649 Armeria welwitschii BOISS.
2001: Bot. G. Wien-Belvedere 2000: 3087

650 Goniolimon collinum BOISS.
1995: Bot. G. Vácrátót 1994: 1281

651 Limonium gougetianum (GIRARD) KUNTZE

Polemoniaceae

652 Polemonium caeruleum L.
1999: Polen; Warszawa, Kampinos National Park; Bot. G. Warszawa 1998: 229

653 Polemonium reptans L.
1994: USA; Lake Co., Illinois, Bot. G. Chicago, Glencoe 1993: 24

654 Polemonium yezoense (MIYABE & KUDO) KITAMURA
2000: H. Voigtmann, Schneeberg/Erzg., D, 1999

Polygonaceae

655 Antenoron filiforme (THUNB.) ROBERTY & VAUTIER
2000: Japan; Hakone, Mt. Myojo, 800-900 m; Bot. G. Okamoto 2000: 218

Portulacaceae

656 Lewisia cotyledon - Hybride

657 Lewisia pygmaea (A. GRAY) ROBINS.
1988: Fa. Ingwersen, East Grinstead 1988: 172

658 Lewisia sierrae FERRIS
1998: H. Voigtmann, Schneeberg/Erzg., D, 1997/98

Primulaceae

659 Androsace carnea L. subsp. brigantiaca (JORDAN & FOURR.) I.K. FERGUS.

660 Androsace maxima L.
2002: Bot. G. Regensburg 2001/2002: 603

661 Lysimachia fortunei MAXIM.
1999: Bot. Okamoto 1999: 250

Proteaceae

662 G Macadamia ternifolia F. MUELL.

Ranunculaceae

663 Actaea pachypoda ELLIOTT
1999: Bot. G. Wien 1999: 319

664 Anemone baicalensis TURCZ.
1997: Bot. G. Giessen 1997: 818

665 Aquilegia atrata W.D.J. KOCH
1989: Österreich; Kärnten, Lesachtal, Obere Valentin Alm, 1500 m; leg. F. Steffan

666 Aquilegia canadensis L.
1994: Bot. G. Chicago, Glencoe 1993: 10

667 Aquilegia olympica BOISS.

668 Aquilegia pyrenaica DC.
1991: Spanien; Pyrénées occidentales; Bot. G. Neuchâtel 1990: 489

669 Cimicifuga ramosa NAKAI
1996: Bot. G. Frankfurt 1996: 1419

670 Cimicifuga simplex DC. var. simplex 'Brunette'
1999: Baumschule Kreß, Oberösterreich, A; live plant

671 Clematis integrifolia L.

672 Delphinium palmatum RADDE
2000: Bot. G. Târgu-Mures 1999: 534

673 Eranthis hyemalis (L.) SALISB.

674 Eranthis hyemalis (L.) SALISB.
cult. H. Teppner

675 Isopyrum thalictroides L.

676 Pulsatilla grandis WENDER.

677 Pulsatilla regeliana (MAXIM.) PAVLOV
1999: Bot. G. Bayreuth 1998: 810

678 Pulsatilla slavica REUSS
1997: Bot. G. Brno 1996/97: 507

679 Pulsatilla taurica JUZ.
1997: Bot. G. Bayreuth 1996: 758

680 Pulsatilla vulgaris MILL. f. alba

681 Pulsatilla vulgaris MILL. f. rubra

682 Ranunculus bulbosus L.

683 Ranunculus millefoliatus VAHL

684 Ranunculus thora L.

685 Thalictrum alpinum L.

686 Thalictrum contortum L.
1995: Bot. G. Göttingen 1994: 1463

687 Thalictrum dipterocarpum FRANCH.

688 Thalictrum saxatile DC.
1993: Italien; Piemonte, Torino, Val di Susa, 600 m; Bot. G. Trana 1993: 21

689 Trollius patulus SALISB.

690 Trollius riederianus FISCH. & MEY.

Resedaceae

691 Reseda crystallina WEBB & BERTH.
2000: Bot. G. Târgu-Mures 1999: 553

Rosaceae

692 Acaena myriophylla LINDL.

693 Agrimonia procera WALLR..
2001: Spanien; Castellon, Ain; Bot. G. Lyon 2001: 980

694 Alchemilla fissa HEGETSCHW.

695 Aruncus aethusifolius NAKAI

696 Comarella multifoliata RYDB.

697 Cotoneaster cashmiriensis KLOTZ
1997: Bot. G. Strasburg 1997: 661

698 G Crataegus mexicana MOC. & SESSE
1981: Bot. G. Köln 1980/81: 75

699 Dryas drummondii RICHARDS. ex HOOK.

700 Dryas grandis JUZ.
1986: Russland; Tschukotka; Bot. G. Göteborg 1985: 186

701 Dryas octopetala L.

702 Dryas octopetala L. var. vestita BECK

703 Geum bulgaricum PANCIC
2000: Bot. G. Târgu-Mures 1999: 580

704 Geum jankae BECK
2000: Bot. G. Târgu-Mures 1999: 584

705 Geum roylei BOLLE
1998: Bot. G. Berlin 1997: 2049

706 Geum sudeticum TAUSCH

707 Geum vernum TORR. & GRAY

708 Potentilla corsica SIEBER ex LEHM.

709 Potentilla detommasii TENORE
1992: Griechenland; Ioannina, Smolikas-Oros, Aufstieg v. Pades; 1250 m; Bot. G. Marburg 1992: 929

710 Potentilla glandulosa LINDL.
1998: USA; Idaho, Rocky Mts.; Bot. G. København 1997: 2534

711 Potentilla nivea L.
1983: Grönland; leg. J. Poelt

712 Potentilla palustris (L.) SCOP.
2000: Österreich; Steiermark, Niedere Tauern, Gellsee, 1300 m; leg. R. Drescher

713 Potentilla recta L.
1996: Frankreich; Rhône-Alpes, Haute-Savoie, Arthaz-Pont-Notre-Dame; 400 m; Bot. G. Samoens 1996: 231

714 Potentilla speciosa WILLD.

715 G Raphiolepis ovata BRIOT

716 Sanguisorba minor SCOP. subsp. magnolii (SPACH) BRIQ.
1995: Griechenland; Samos; leg. H. Hagen

717 Sibbaldia cuneata HORNEM.

718 Sibbaldia parviflora WILLD.
1999: Bot.G. Brno 1999: 108

Rubiaceae

719 Galium purpureum DC.
1990: Slowenien; Julische Alpen, Razor, Umgebung der Mlinarica Quelle, 740 m; leg. T. Ster & F. Steffan

720 G Guettarda uruquensis CHAM. & SCHLECHT.
1951: Bot. G. Montevideo

Rutaceae

721 G Zanthoxylum acanthopodium DC.

Saxifragaceae

722 Astilbe chinensis (MAXIM.) FRANCH. & SAV. subsp. pumila VILM.

723 Boykinia major A. GRAY
1996: Bot. G. Gent 1995: 58

724 Francoa sonchifolia CAV. subsp. ramosa (D.DON) REICHE
1999: Bot. G. Zürich 1998: 750

725 Heuchera americana L.

726 Heuchera himalayensis DECNE. ex JACQ.
1996: Bot. G. Kiel 1995/96: 885

727 Penthorum sedoides L.
1999: Bot. G. Göttingen 1998: 2812

728 Rodgersia sambucifolia HEMSLEY

729 Saxifraga chrysosplenifolia BOISS.
1990: Bot. G. Meyrin 1990: 909

730 Saxifraga grisebachii DEGEN & DÖRFL.

731 Saxifraga hostii TAUSCH
1985: Österreich; Kärnten, Plöckenpaß, 1400 m

732 Saxifraga moschata WULFEN
1991: Österreich; Vorarlberg, Kl. Walsertal, Hoher Ifen; Bot. G. Marburg 1990: 980

733 Saxifraga porophylla BERTOL.

734 Saxifraga sachalinensis F. SCHMIDT

735 Saxifraga sturmiana SCHOTT., NYM. & KOTSCHY

736 Saxifraga x elizabethae SÜND.

737 Tiarella polyphylla DON.
1997: Bot. G. Lublin 1996: 1854

Scrophulariaceae

738 G Calceolaria mexicana BENTH.
2000: Bot. G. Liberec 2000: 391

739 Digitalis lutea L.
1994: Italien; Piemonte, Torino, Val Sangone, Trana, cava di Serpentino, 400 m; Bot. G. Trana 1993: 107

740 Digitalis micrantha ROTH
2001: Bot. G. L' Aquila 2000/01: 24

741 Hebe subalpina (COCKAYNE) COCKAYNE & ALLAN

742 Linaria purpurea (L.) MILL.
1998: Italien; Siena, Valianino/Vescovado di Murlo, 308 m; Bot. G. Siena 1998: 334

743 Mimulus cardinalis DOUGL. ex BENTH.
2000: USA; Californien, Lake Co., 38°43´N 122°37´W, E of Mt. St. Helena, S of Middletown, Hwy 29 at Western Mine Rd, 4 km N of the Lake Co. line, 400 m; Bot. G. Berkley 2000: 163

744 Nemesia mellissaefolia BENTH.
2000: Bot. G. Bayreuth 2000: 700

745 Penstemon albertinus GREENE
1996: Bot. G. Rotterdam Zoo 1995: 267

746 Penstemon davidsonii GREENE
1994: Bot. G. München; leg. Schacht Jun.

747 Penstemon laevis PENNEL.
1998: USA; Utah, Kane Co.; Bot. G. Praha 1998: 159

748 Penstemon menziesii HOOK.
1990: Bot. G. Brünn 1989/1990: 459

749 Pseudolysimachion bachofenii (HEUFFEL) HOLUB
1998: Rumänien; Apuseni Mts., Podisul Padesului; Bot. G. Olomouc 1997: 161

750 Pseudolysimachion longifolium (L.) OPIZ
1995: Deutschland; Sachsen Anhalt, Dessau; Bot. G. Halle 1995: 1559

751 Pseudolysimachion spicatum (L.) OPIZ
1998: Österreich; Niederösterreich, Weinviertel, Retz, 320 m; Bot. G. Wien-Boku 1998: 676

752 G Scrophularia smithii HORNEM.
1998: Spanien; Teneriffa; leg. H. Mayrhofer

753 Verbascum blattaria L.

754 Verbascum phoeniceum L.
2001: Bot. G. Lodz 2000: 177

755 Veronica fasciculata MICHX.
1996: USA; Illinois, Lake Co.; Bot. G. Novy-Dvur 1995: 66

756 Veronica forrestii DIELS
1999: Bot. G. München 1998

757 Veronica pectinata L.

758 Veronica schmidtiana REGEL cv. Nana
2000: Bot. G. Plzen 1999: 88

759 Veronicastrum sibiricum (L.) PENN. subsp. japonicum (NAKAI) HARA
1979: Bot. G. Tokio (Nikko City, Tochigi Pref.) 1979: 444

Simaroubaceae

760 G Cneorum tricoccon L.

Solanaceae

761 G Nicotiana africana MERXM.
1989: Namibia; Damaraland, Brandberg; leg. E. & R. Planitzer

762 G Nicotiana sylvestris SPEG. & COMES
1996: USA; Michigan, Clinton Co.; Bot. G. Bot. G. East Lansing (W.J. Beal) 1986: 195

763 G Vestia foetida HOFFMG.
1996: Bot. G. Wisley 1995: 934

Sterculiaceae

764 G Melochia nodiflora SW.
1992: Bot. G. Auroville 1991: 379

Thymelaeaceae

765 Daphne alpina L.

766 Daphne retusa HEMSEL.

Tiliaceae

767 G Triumfetta rhomboidea JACQ.
1996: Bot. G. Auroville 1994/95: 500

Urticaceae

768 G Gesnouinia arborea GAUDICH
1991: Spanien; Kanarische Inseln, La Gomera, Chorros de Epina; Bot.G. Salzburg 1990: 1359

Valerianaceae

769 Centranthus ruber (L.) DC.

770 Centranthus ruber (L.) DC. fl. alba
1999: Italien; Como, Villa Cypressi; leg. F. Steffan

771 Patrinia villosa JUSS.
1999: Bot. G. Kyoto 1998: 192

Verbenaceae

772 G Clerodendron speciosissimum PAXT.
1997: Bot. G. Göttingen 1996: 2764

773 G Duranta plumieri JACQ.

774 G Stachytarpheta indica VAHL
2000: Thailand; Bot. G. Frankfurt 1999: 298

775 Verbena macdougalii HELLER
2000: Bot. G. Destelbergen 1999/00: 354

Zygophyllaceae

776 Tribulus terrestris L.
1998: Griechenland; Rhodos, Ixia; leg. F. Hödl

MONOCOTYLEDONEAE

Agavaceae

777 G Cordyline australis (FORST.) ENDL.

Alliaceae

778 Allium farreri STEARN

779 Allium turkestanicum REGEL
1997: ITSA Prag 1997: 44

Asphodelaceae

780 Asphodeline lutea (L.) RCHB.

Commelinaceae

781 G Commelina tuberosa L.
2000: Bot. G. Meyrin 1999: 23

Cyperaceae

782 G Carex mairii COSS. & GERM.
1994: Italien; Ligurien, Ventimiglia; leg. R. Karl

Graminae

783 Aristida purpurea NUTT. subsp. fendleriana STEUD.
1999: Magistrat Graz 1998: 42, ex USA;

784 Diarrhena americana BEAUV.
2001: Bot. G. East Lansing (W.J. Beal) 2001: 209

Hemerocallidaceae

785 Hemerocallis dumortieri C. MORREN

Hostaceae

786 Hosta minor NAKAI

Iridaceae

787 Belamcanda chinensis (L.) DC.

788 Crocus goulimyi TURRILL

789 Gladiolus illyricus KOCH

790 Iris fulva KER-GAWL.

Juncaceae

791 Luzula nivea DC.
2000: Schweiz; Kt. Ticino, Bosco Gurin, ca.1500 m; leg. A. Drescher

Liliaceae

792 G Athropodium cirrhatum R. BR.

793 G Ornithogalum pyrenaicum L.

Liliaceae s.str.

794 § Erythronium dens-canis L.

795 § Erythronium dens-canis L.
cult. H. Teppner

Poaceae

796 Agrostis perennans (WALTER) TUCKERM.

797 Andropogon gerardii VITM.
1996: USA; Michigan, Crawford Co., 354 m; Bot. G. East Lansing (W.J. Beal) 1996: 16

798 Corynephorus canescens BEAUV.

799 Pennisetum orientale L.C. RICH.
1997: Bot. G. Destelbergen 1996: 274

800 Poa glauca HEGETSCHW.

801 Spodiopogon sibiricus TRIN.
1998: Bot. G. u. Arb. Brno 1997: 768

802 Trisetum flavescens (L.) P. BEAUV.
1999: Österreich; Steiermark, Gamlitz; leg. H. Teppner

Uvulariaceae

803 Tricyrtis hirta (THUNB.) HOOK.

804 Tricyrtis pilosa WALL.

805 Tricyrtis puberula NAKAI & KITAGAWA
1997: Bot. G. Northampton 1996/97: 614

* * *

Botanischer Garten des Institutes für Botanik der Universität Graz
2003 Index Seminum – Order Form

Agreement on the supply of plant material

In response to the **C**onvention on **B**iological **D**iversity (Rio de Janeiro, June 5, 1992), the Botanic Garden Graz supplies the seed collections requested below on the following conditions:

1) On the basis of this agreement, the material is intended to serve the common good, particularly scientific study, education and the interests of environmental protection.

2) Upon accepting plant material from our garden, the recipient is obliged to document and preserve information relating to the material appropiately.

3) In the event that scientific publications on the plant material provided are produced, the origin of the material is to be cited. In addition these publications are supposed to be sent to the library of the Institute of Botany in Graz automatically, without request.

4) Intended commercial use by the recipient is not covered by this agreement. The commercialisation is the object of a separate agreement with the country of origin. This agreement underlies the provisions of the CBD, i.e. the user is obliged to share the benefits with the country of origin and to forward relevant information to the authority instructed with the implementation of the CBD.

5) The recipient garden will forward information on the material supply on request to the authority instructed with the implementation of the CBD.

6) By ordering seeds or other plant material from the Botanic Garden Graz these conditions and the other articles of the convention are accepted.

Name ..... Date .....

Institution ..... Signed .....

Please return this order form **before April 30th 2003**, with numbers you wish to receive

Desiderata:

To
Botanischer Garten des Institutes für Botanik
der Karl-Franzens-Universität Graz

Holteigasse 6

A - 8010 Graz

Österreich/Austria(Europa)