

Phyton (Horn, Austria)	<b>Vol. 50</b>	Fasc. 1	1–144	6. 8. 2010
------------------------	----------------	---------	-------	------------

## CONTENTS

FRITSCH R. M. & MAROOFI H.: New species and new records of <i>Allium</i> L. ( <i>Alliaceae</i> ) from Iran. . . . .	1
BUSINSKÝ R. & KIRSCHNER J.: <i>Pinus mugo</i> and <i>P. uncinata</i> as parents of hybrids. A taxonomic and nomenclatural survey. . . . .	27
ŠTĚPÁNEK J., KIRSCHNER J. & MEIEROTT L.: <i>Taraxacum gratum</i> , a new species of the section <i>Erythrocarpa</i> from the Transcaucasus. . . . .	59
RUTISHAUSER R., PFEIFER E., REID J. E. & MASLIN B. R.: Pod characters of the Mulga group ( <i>Acacia aneura</i> and close relatives), an important arid zone species-complex from Australia. . . . .	69
TEPPNER H.: Anther and anthesis in <i>Pararchidendron pruinosum</i> ( <i>Mimosaceae-Ingae</i> ). . . . .	91
TEPPNER H. & STABENTHEINER E.: <i>Pararchidendron pruinosum</i> ( <i>Mimosaceae-Ingae</i> ): ESEM investigations on anther opening, polyad presentation and stigma. . . . .	109
GÄRTNER G., UZUNOV B. A., STOYNEVA M. P., KOFLER W. & INGOLIĆ E.: <i>Trochisciopsis tetraspora</i> f. <i>minor</i> forma nova ( <i>Chlorophyceae-Chlorococcaceae</i> ) – a new terrestrial green algal taxon from Pirin Mts. (Bulgaria) and its ultrastructure. . . . .	127
Recensiones . . . . .	137

New taxa and/or new combinations as well as typifications:

*Algae:*

<i>Trochisciopsis tetraspora</i> VINATZER f. <i>minor</i> GÄRTNER & al., forma nova ( <i>Chlorococcaceae</i> ) . . . . .	130
--	-----

*Spermatophyta:*

<i>Allium</i> (sect. <i>Acanthoprason</i> ) <i>chloropetalum</i> R. M. FRITSCH & M. JAEGER, spec. nova ( <i>Alliaceae</i> ) . . . . .	18
<i>Allium</i> (sect. <i>Longivaginata</i> ) <i>jaegeri</i> R. M. FRITSCH, spec. nova ( <i>Alliaceae</i> ) . . .	14
<i>Allium</i> (sect. <i>Melanocrommyum</i> ) <i>mozaffarianii</i> MAROOFI & R. M. FRITSCH, spec. nova ( <i>Alliaceae</i> ) . . . . .	22
<i>Allium</i> (sect. <i>Caerulea</i> ) <i>najafdaricum</i> R. M. FRITSCH, spec. nova ( <i>Alliaceae</i> ) . .	12
<i>Pinus</i> × <i>ascendens</i> BUSINSKÝ, nothospec. nova ( <i>Pinaceae</i> ) . . . . .	51
<i>Pinus</i> × <i>ascendens</i> BUSINSKÝ, nothosubsp. <i>ascendens</i> ( <i>Pinaceae</i> ) . . . . .	51
<i>Pinus</i> × <i>ascendens</i> BUSINSKÝ, nothosubsp. <i>skalickyi</i> BUSINSKÝ, nothosubsp. nova ( <i>Pinaceae</i> ) . . . . .	52
<i>Pinus</i> × <i>celakovskiorum</i> ASCH. & GRAEBN., epitype ( <i>Pinaceae</i> ) . . . . .	49
<i>Pinus</i> × <i>rhaetica</i> BRÜGGER, lectotype, epitype ( <i>Pinaceae</i> ) . . . . .	39
<i>Pinus</i> × <i>rhaetica</i> BRÜGGER, nothosubsp. <i>digenea</i> (BECK) K. RICHT., epitype ( <i>Pinaceae</i> ) . . . . .	43
<i>Taraxacum</i> (sect. <i>Erythrocarpa</i> ) <i>gratum</i> ŠTĚPÁNEK, KIRSCHNER & MEIEROTT, spec. nova ( <i>Asteraceae</i> ) . . . . .	61
<i>Taraxacum</i> (sect. <i>Erythrocarpa</i> ) <i>voricola</i> A. J. RICHARDS, nom. novum ( <i>Asteraceae</i> ) . . . . .	66

New syntaxa:

—